

Elizabeth Brockschlager Papers, 1899-1991
Collection No. 2



Abstract

Research notes, scrapbooks, plant and plant community color slides, correspondence, teaching records, subject files and class notes of Mary Elizabeth Brockschlager, 1900-. The papers document research into plants and ecosystems of Ohio, the Ohio River Valley, the Appalachians, and especially Adams County and Southwestern Ohio. The slides provide valuable documentation of existing and endangered plant species and communities. Archaeological research on the Ohio River Valley is included, as are efforts of the Nature Conservancy and its efforts in Ohio, 1960s-1980s.

Biographical Sketch

Mary Elizabeth Brockschlager was born in Vevay, Indiana on January 1, 1899, to John Peter Brockschlager and Mary Elizabeth Rosenberger Brockschlager. She attended grade and high schools at Vevay, Indiana, and in 1917 was admitted to the Teachers College of Indiana (Indiana University). Upon graduation, she moved to Cincinnati, Ohio, where she began a long career as a teacher in the Cincinnati School System. Taking classes on the side, she received in 1928 a B.S. degree from the University of Cincinnati in elementary education.

Ms. Brockschlager was admitted to Cornell University in 1929, majoring in botany and geology. After one semester, she returned to Cincinnati to care for her ill mother. She never returned to pursue a formal degree, but became a nationally recognized botanist through self-education and field work. Brockschlager became a close personal friend of E. Lucy and Annette Braun, and accompanied Lucy Braun on many of Braun's field trips and research projects. Elizabeth (as Ms. Brockschlager, dropping her first name was known) was especially interested in prairies and prairie plants. Her knowledge of prairies, especially those in Ohio, made her a valuable resource to the Nature Conservancy and the U.S. Department of Natural Resources, and both used her often as a consultant.

In the course of studying plants, Elizabeth became a photographer of plants and plant communities, and amassed an extensive slide collection of professional quality. Many of the slides were given to appropriate agencies and institutions, and in essence she acted as volunteer photographer for the Nature Conservancy in its beginnings, as well as other conservation groups and the Ohio Department of Natural Resources. She also acted as photographer on many of the Braun field trips, as well as creating many slide presentations for her own use.

Elizabeth remained an elementary school teacher in the Cincinnati system, mostly fifth through seventh grade science, until her retirement in the 1960s. As well, she became an amateur archaeologist, and participated in several digs in the Ohio River Basin. Elizabeth was an active member of many local organizations, from Catholic women's groups to the "Dry Dredgers" (geology) to the Nature Conservancy. The Elizabeth Brockschlager Preserve in Adams County bears her name. Elizabeth was also an avid birder, and participated in many Audubon bird counts. She was a director of the Cincinnati Museum of Natural History, and devoted much of her time and effort on Museum projects and causes.

In the late 1970s, due to a broken hip, Elizabeth found it necessary to withdraw from active participation in her many organizations and interests. Elizabeth died January 6, 1991, in her adopted Cincinnati. Trained as an elementary school teacher, and following that career until her retirement, she had none the less become a recognized expert in the field of Ohio botany, especially of prairies, an amateur archaeologist, and a community resource.

Scope and Content

The collection documents the botanical and archaeological research of Elizabeth Brockschlager, primarily from the early 1950's through 1980, and reflects through the research notes and slides the development of the conservation awareness movement in the state of Ohio and the immediate region. Development of Nature Conservancy preserves throughout the region are documented in research notes, correspondence and subject files, as well as visually through the slides. Special strengths of the papers, and the areas of Ms. Brockschlager's primary expertise and interest are Adams County, Ohio, in particular, and prairies in general. Also included are subject files on birds; sightings and counts as well as general material. As an avid birder, Brockschlager often combined plant recordings and research with observations on bird populations. Of primary importance are the 6,079 color slides of native Ohio plants and plant systems. The professional quality slides provide general habitat views as well as identification of individual plants and plant communities during various seasons and stages of growth.

Container List

Box	Folder	Description
		- <u>Series I. Scrapbooks</u>
1	1	- Adams County--flora

	2	-	Adams County--flora
	3	-	Adams County
	4	-	Adams County
	5	-	Adams County-- Archaeology
2	6	-	Amphibians & Reptiles
	7	-	Archaeology--Ohio, general
	8	-	Angel Mounds Excavation, 1951
	9	-	Angel Mounds Excavation, 1951
	10	-	Asters
3	11	-	Autumn
	12	-	Big Bone Lick
	13	-	Biography
	14	-	Birds, general
	15	-	Birds, general
	16	-	Birds--Maslowski
4	17	-	Birds--Maslowski
	18	-	Braun, E. Lucy & Annette
	19	-	"A Botanical Study of the Northside Woods" by Sally Schrohenlober
	20	-	Cedar Bog
	21	-	Christmas
	22	-	Cincinnati--Geology
5	23	-	Cincinnati--Geology
	24	-	Cincinnati--Field geology
	25	-	Clifton Gorge & Green County
	26	-	Compositae
	27	-	Covered Bridges
	28	-	<u>Ecological Studies</u> (Nature Conservancy)
	29	-	Ferns
6	30	-	Fort Hill
	31	-	Fort Hill
	32	-	Fort Hill
	33	-	Fort Hill
	34	-	Glacial History--Ohio and Teays River
7	35	-	Great Smokey Mountains
	36	-	Grasses
	37	-	Hamilton County Parks
	38	-	Hawk Mountain
	39	-	Herbs
	40	-	Highland County

	41	-	Hocking County
	42	-	Indiana
8	43	-	Indiana--Switzerland County
	44	-	Indiana-- Vevay, Switzerland County
	45	-	Insects and Their Relatives
	46	-	Kentucky
	47	-	Kentucky
9	48	-	Killdeer Plains
	49	-	The Maya
	50	-	The Maya
	51	-	Medicinal Plants I
	52	-	Medicinal Plants II
	53	-	Mentor Marsh; Blue Hole & Lake Country
	54	-	Miami County
10	55	-	Mosses, Lichens, Fungi
	56	-	"Naturalist Afield"
	57	-	North Carolina
	58	-	Ohio--History
11	59	-	Ohio--Natural Areas
	60	-	Ohio--Pre-history
	61	-	Ohio--Butler, Preble & Warren Counties
	62	-	Ohio--Brown & Clermont Counties
	63	-	Ohio--Jackson, Pike & Vinton Counties
	64	-	Ohio--Clinton, Fairfield, Licking, Pickaway & Ross Counties
12	65	-	Orchids
	66	-	Prairies
	67	-	Poems
	68	-	Quotations
	69	-	Red River Gorge, Kentucky
	70	-	Reelfoot Lake
13	71	-	Road logs of Field Trips
	72	-	Seasons
	73	-	Shell Mound Culture
	74	-	Shawnee
	75	-	Shawnee Lookout
	76	-	Trees
13	77	-	Trees--Ohio

Miller, G. Rodney, 1974
 Moser, Marshall A., 1975
 Owney, John, 1972
 Poundstone, Bruce, 1972
 Ruff, Frank, 1974
 Stein, Carol B., 1972
 [to] Hubert Hawkins, 1973
 Thieret, John W., 1975
 Thieret, John W., 1979
 Vankat, John L., 1975

- 91 - 1980-1983
 Brockschlager, John T., [n.d.]
 Erhardt, Cathy, 1983
 Glotzhober, Robert, 1981
 Jacoby, Mark T., 1980
 MacMillan, Hugh W., 1980
 Payne, Fredrick L., 1980
 Stuckey, Ronald L., 1982
 [to] Stuckey, Ronald L., 1982
- 92 - Postcards and notes, 1963, 1987-88, 1990, n.d.
 93 - Photos, misc.
 Clipping of photo of Brockschlager
 at age 15; at age 90; photo of entrance
 sign to Elizabeth Brockschlager Preserve,
 Abner Hollow, Adams County, Ohio; misc.
- Series III. Teaching Records
- 94 - "The Aboriginie in Ohio" dramatic
 presentation by 4th-6th grades,
 12th District School, Cincinnati
- 95 - Misc. tests, etc.
- Series IV. Cornell University Studies
- 16 96 - Class notes, Botany, 1929
 97 - Class notes, Botany, 1929
 98 - Class notes, Botany, 1929
 99 - Class notes, Botany, 1929
- Series V. Research Notes

- 100 - Personal misc. notes, 1989
- 101 - Notebooks; plants--Ohio
- 102 - Notebooks; plants--Ohio

- 17 103 - Notebooks; plants--Ohio
- 104 - Notebooks; plants--Ohio
- 105 - Notebooks; quotes; Great Smokey
Mountains; Guatemala/Yucatan;
Bibliography

- 106 - Adams County, birds, butterflies, etc.
- 107 - Asclepidaceae
- 108 - Asters
- 109 - Compositae
- 110 - Endangered Species--Ohio
- 111 - Ferns
- 112 - Ferns--Botanical notes
- 113 - Ferns--Botanical notes

- 18 114 - Field trips--Directions
- 115 - Field trips--Notes
- 116 - Fungi
- 117 - Ginseng
- 118 - Gramineae
- 119 - Great Smokey Mountains, 1960--
Flora and fauna
- 120 - Insects
- 121 - Kentucky River Palisades flora
- 122 - Lichens
- 123 - Minerals
- 124 - Misc. botanicals
- 125 - "Notes On Plants"
- 126 - Orchidaceae--Botanical notes
- 127 - Orchidaceae
- 128 - Plant descriptions: the turtle;
the garden snail
- 129 - Oak Openings
- 130 - Plants--Colors
- 131 - Plants--Communities
- 132 - Plants--Indiana; White Water Lake
- 133 - Plants--Kentucky, Red River
Gorge, Natural Bridge
- 134 - Plants--Kentucky, Cumberland
Falls, Mammoth Cave

19	135	-	Plants--Medicinal
	136	-	Plants--Ohio, Abner Hollow
	137	-	Plants--Ohio, Adams County
	138	-	Plants--Ohio, Adams County
	139	-	Plants--Ohio, Bald Knob field trip
	140	-	Plants--Ohio, Blue Creek
	141	-	Plants--Ohio, "Borland County"
	142	-	Plants--Ohio, Brown County, Lake Grant
	143	-	Plants--Ohio, Buzzard Roost
	144	-	Plants--Ohio, Buzzard Roost field trip
	145	-	Plants--Ohio, Cedar Bog
	146	-	Plants--Ohio, Cedar Falls
	147	-	Plants--Ohio, Cincinnati area
	148	-	Plants--Ohio, Cincinnati: Ludlow Avenue
	149	-	Plants--Ohio, Clifton Gorge
	150	-	Plants--Ohio, Cranberry Island; Buckeye Lake
	151	-	Plants--Ohio, Flowers by color
	152	-	Plants--Ohio, Fort Hill
	153	-	Plants--Ohio, Fort Hill
	154	-	Plants--Ohio, Fort Hill
	155	-	Plants--Ohio, Fort Hill
20	156	-	Plants--Ohio, Fort Hill
	157	-	Plants--Ohio, Hobey Creek
	158	-	Plants--Ohio, Hocking County
	159	-	Plants--Ohio, Jackson County
	160	-	Plants--Ohio, Killdeer Plains
	161	-	Plants--Ohio, Lynx Loop
	162	-	Plants--Ohio, Lynx Prairie
	163	-	Plants--Ohio, Miami-Whitewater
	164	-	Plants--Ohio, Nivale Trail (Adams County)
	165	-	Plants--Ohio, Pike Lake, Pike County field trips
	166	-	Plants--Ohio, Scioto County
	167	-	Plants--Ohio, Shawnee
	168	-	Plants--Ohio, Shawnee
	169	-	Plants--Ohio, Shawnee
	170	-	Plants--Ohio, Stonelick Lakes
	171	-	Plants--Ohio, Turkey Creek
	172	-	Plants--Ohio, Vinton County
	173	-	Plants--Ohio, The Wilderness (Adams County)
	174	-	Plants--Ohio, The Wilderness (Adams County)
	175	-	Plants--Ohio, by plant: A
	176	-	Plants--Ohio, by plant: B
	177	-	Plants--Ohio, by plant: Ca-Chi

	178	-	Plants--Ohio, by plant: Chry-Cz
21	179	-	Plants--Ohio, by plant: D
	180	-	Plants--Ohio, by plant: E
	181	-	Plants--Ohio, by plant: F-G
	182	-	Plants--Ohio, by plant: H
	183	-	Plants--Ohio, by plant: I-K
	184	-	Plants--Ohio, by plant: L
	185	-	Plants--Ohio, by plant: M
	186	-	Plants--Ohio, by plant: N
	187	-	Plants--Ohio, by plant: O
	188	-	Plants--Ohio, by plant: P-Pl
	189	-	Plants--Ohio, by plant: Po-Py
	190	-	Plants--Ohio, by plant: Q-R
	191	-	Plants--Ohio, by plant: S-Sil
	192	-	Plants--Ohio, by plant: Sis-Sy
22	193	-	Plants--Ohio, by plant: T
	194	-	Plants--Ohio, by plant: U-V
	195	-	Plants--Ohio, by plant: W-Z
	196	-	Plants--Pennsylvania, Hawk Mountain
	197	-	Plants--Rivers; Ohio & Licking
	198	-	Plants--Wisconsin
	199	-	Prairies
	200	-	Prairies: "The Prairie World"
	201	-	Solidago
	202	-	Teays Valley/River
	203	-	Trees
	204	-	Trees
	205	-	Trees of Ohio
	206	-	Violaceae
	207	-	Violaceae--Botanical notes
	208	-	Weeds
	209	-	Wild flowers
23	210	-	Wild flowers--Field trips
	211	-	Wild flowers of Eastern Kentucky
	212	-	Woody Plants
	213	-	Misc.
		-	<u>Series VI. Subject Files</u>
23	214	-	Abner Hollow Preserve

- 215 - Adams County, Misc.
- 216 - Adams County, Misc.
- 217 - Alaska
- 218 - Amerindians
- 219 - Amerindians
- 220 - Animals, Misc.
- 221 - Anthropology
- 222 - Anthropology, misc.
- 224 - Archaeology--Clough Creek, 1975
- 225 - Archaeology--Field Work, 1974
- 226 - Archaeology--Grave Creek Mound

- 24 227 - Archaeology--Hamilton Co., Saylor Mound
- 228 - Archaeology--Koster Expedition;
Correspondence, photos
- 229 - Archaeology--Koster Expedition;
correspondence; Early Man
- 230 - Archaeology--Koster Expedition; general
- 231 - Archaeology--Meso-America
- 232 - Archaeology--Ohio
- 233 - Archaeology--Adena
- 234 - Archaeology--Fort Ancient
- 235 - Archaeology--Miamisburg Mound
- 236 - Archaeology--Schultz Site
- 237 - Archaeology--Shell Mound Culture
- 238 - Archaeology--Turpin Site; field
notes, photos
- 239 - Archaeology--Turpin Site; field notes
- 240 - Archaeology--Turpin Site; field notes
- 241 - Archaeology--Turpin Site

- 25 242 - Archaeology--United States
- 243 - Archaeology--Misc.
- 244 - Archaeology/Paleontology, general
- 245 - Astronomy
- 246 - Astronomy
- 247 - Astronomy
- 248 - Bartley, Floyd
- 249 - Becker, Marion Rombauer
- 250 - Biographies A-H
Audubon, John James
Bucher, Walter H.
Dieckmann, Adolph
Dury, Ralph
Eggleston, Edward
Eulett, Charles A.

			Falstaff, Jake
			Fetzer, Herman
			Fuertes, L.A.
			Gelter, Arthur
			Goslin, Charles
			Hagner, Gerald
			Hammar skjold, Dag
			Harrison, William Henry
			Hay, John
	251	-	Biographies L-Z
			Linnaeus, Carl
			Meyer, David
			Porter, Eliot
			Rafinesque, Constantine
			Rowe, Stanley
			Ruthven, John
			Stuart, Jesse H.
			Williams, Caroline
	252	-	Biographies; naturalists, notes
	253	-	Birds--Bald Eagle
	254	-	Birds; counts and identification
25	255	-	Birds: illustrations
	256	-	Birds, misc.
	257	-	Birds, misc.
	258	-	Birds, misc.
26	259	-	Black, Helen
	260	-	"Books" (fliers)
	261	-	Braun, E. Lucy: biographical sketch, misc.
	262	-	Buzzard Roost
	263	-	Buzzard Roost
	264	-	Buzzard Roost
	265	-	Calendars, 1972, 1974, 1976-77
	266	-	Carson, Rachel; articles
	267	-	Cedar Bog
	268	-	Christmas
	269	-	Cincinnati: History
	270	-	Cincinnati: History
	271	-	Cincinnati: History
	272	-	Cincinnati: History
	273	-	Cincinnati: misc. clippings
27	274	-	Cincinnati Museum of Natural History; misc.
	275	-	Cincinnati Reds; 1976 playoffs & World Series
	276	-	Class notes--Archaeology

- 277 - Class notes--Botany
- 278 - Class notes--Ecology, U.S.
- 279 - Class notes--Mineralogy
- 280 - Cornell University
- 281 - Covered Bridges
- 282 - Corn--Ancestors
- 283 - Davis Memorial & vicinity
- 284 - Dry Dredgers Society
- 285 - Ecology, general
- 286 - Endangered species--Ohio
- 287 - Eshbaugh, Hardy
- 288 - Everglades
- 289 - Fishes
- 290 - Flowers--Evolution
- 291 - Forsyth, Jane L.
- 292 - Geology, misc.
- 293 - Ginseng
- 294 - Great Smoky Mountains: misc.
brochures and trail guides
- 295 - Great Smoky Mountains: misc.
brochures and trail guides

- 28 296 - Great Smoky Mountains: misc.
brochures and trail guides
- 297 - Great Smoky Mountains: Naturalist
Program, 1956-1964
- 298 - Hawk Mountain, Pennsylvania
- 299 - Hamilton Co. Park District
- 300 - Herbs, Amerindian & early settlers
- 301 - Illustrations, scenes, clippings
- 302 - Indiana--Geology
- 303 - Indiana: misc.
- 304 - Indiana: misc.
- 305 - Indiana: misc.
- 306 - Indiana: misc.
- 307 - Indiana: misc.
- 308 - Indiana: misc.

- 29 309 - Indiana: misc.
- 310 - Indiana: misc.
- 311 - Kentucky: misc.
- 312 - Little Miami, Inc.
- 313 - Lloyd Library
- 314 - Lynx Prairie
- 315 - Maslowski, Karl H.:
Naturalist Afield articles

- 316 - Maslowski, Karl H.:
Naturalist Afield articles
- 317 - Mastodon--New London, Ohio
- 318 - The Maya--Correspondence, general notes
- 319 - The Maya--Mounted post cards
- 320 - The Maya--Notes and articles
- 321 - The Maya--Stationary from 1969 trip
- 322 - Medicinal plants

- 30 323 - National Parks & Monuments
- 324 - Nature Conservancy--Kentucky,
Project tracking record, 1985, misc.
- 325 - Nature Conservancy--Ohio, misc.
- 326 - Ohio--History
- 327 - Ohio--History
- 328 - Ohio--History
- 329 - Ohio--History
- 330 - Ohio Academy of Science-Biological section
- 331 - Ohio Biological Survey: misc.
- 332 - Ohio Biological Survey: Ohio's
Natural Areas Symposium, 1972
- 333 - "Ohio Natural Heritage
Program," - Debra Walton, 1977-78
- 334 - Ohio state parks & wild life areas
- 335 - Paleontology, misc.
- 336 - Palmer, E.L.
- 337 - Phytological Club: membership
lists, 1958, 1961, misc.

- 31 338 - Pike Lake--Field trip, misc.
- 339 - Plants: articles on, misc.
- 340 - Plants of Shakespeare
- 341 - Pope John XXIII
- 342 - Quotations
- 343 - Red River Gorge, Kentucky
- 344 - Red River Gorge, Kentucky
- 345 - Reptiles & Amphibians
- 346 - St. Francis Xavier Church: misc.
programs
- 347 - "Seasons"
- 348 - Shells, crustacea
- 349 - Shawnee, Scioto County
- 350 - Short stories: misc. clippings
- 351 - Short stories: misc. clippings
- 352 - Short stories: misc. clippings

- 383 - Certificates
- 384 - Membership cards, driver's license, misc.

- 39 - Diplomas, Vevay High School Banner, 1916, misc.
- Cassette tape, 90 minutes.
- Oral history interview, November, 1990,
between Elizabeth Brockschlager and
her nieces. Topic: reminiscences

<u>VOL.</u>	<u>SLIDE</u>	<u>DESCRIPTION</u>
		- Lynx Prairie I. presentation [#01-158]
<u>I.</u>	01	- Habitat (pines invading prairie)
	02	- Pinus virginiana
	03	- Buchnera americana (close up)
	04	- Prairie
	05	- Ranunculus septentrionalis
	06	- Ranunculus septentrionalis
	07	- Dogwood in bloom
	08	- Senecio aureus along stream
	09	- Dodecatheon meadia habitat
	10	- Lithospermum canescens
	11	- Rubus villosus
	12	- Castilleja coccinea (close up)
	13	- Viola pubescens
	14	- Dodecatheon meadia
	15	- Dodecatheon meadia, blooming plant & seed
	16	- Dodecatheon meadia
	17	- Mimulus alatus
	18	- Uvularia grandiflora
	19	- Sisyrinchium albidum
	20	- Polygonatum biflorum
	21	- Cynoglossum virginianum
	22	- Salvia lyrata
	23	- Liparis lilifolia
	24	- Liparis lilifolia
	25	- Blephilia ciliata
	26	- Blephilia ciliata
	27	- Oxalis violacea habitat
	28	- Cynoglossum virginianum
	29	- Arenaria stricta
	30	- Arenaria stricta

- 31 - *Pinus virginiana* along trail
- 32 - *Blephilia ciliata*
- 33 - *Pellaea atropurpurea* in dolomite
- 34 - *Gonolobus obliquus*
- 35 - *Gonolobus obliquus*
- 36 - *Gonolobus obliquus*
- 37 - *Buchnera americana* habitat
- 38 - Burr Hill from Lynx Prairie
- 39 - *Pellaea atropurpurea*
- 40 - *Pellaea atropurpurea* on trail
- 41 - *Helianthus divaricatus*
- 42 - *Celtis occidentalis* var. *pumila*
- 43 - *Hypericum spathulatum*
- 44 - *Buchnera americana*
- 45 - *Phlox maculata*
- 46 - *Phlox maculata* (several)
- 47 - *Phlox maculata* (group)
- 48 - *Helianthus divaricatus* (close up)
- 49 - *Monarda fistulosa* group
- 50 - *Ratibida pinnata* (close up)
- 51 - *Ratibida pinnata* & *Monarda fistulosa*
- 52 - *Ceanothus americanus*
- 53 - *Eryngium yuccifolium*
- 54 - *Eryngium yuccifolium*
- 55 - *Rudbeckia*
- 56 - *Swertia caroliniensis* (in fruit)
- 57 - *Sabattia angularis*
- 58 - Along trail, *Sabattia angularis*
- 59 - Along trail, *Sabattia angularis*
- 60 - *Eryngium yuccifolium*
- 61 - *Campanula americana*
- 62 - Cemetery-entrance to prairie
- 63 - *Sabattia angularis*
- 64 - *Sabattia angularis*
- 65 - Leaving North Prairie:
Phlox maculata, *Ratibida pinnata*
- 66 - Along trail
- 67 - *Celtis occidentalis* var. *pumila*
- 68 - *Conobea multifida*
- 69 - *Corylus americana*
- 70 - *Liatris squarrosa* (one stem)
- 71 - *Liatris squarrosa* (three stems)
- 72 - *Liatris squarrosa*
- 73 - *Pinus virginiana*
- 74 - *Cornus florida* (in fruit)
- 75 - *Rhamnus caroliniana* (fruit)

76	-	Rhamnus caroliniana (in fruit)	
	-	Lynx Prairie II. presentation	
77	-	Spiranthes gracilis	
78	-	Spiranthes vernalis	
79	-	Spiranthes gracilis	
80	-	Pinus virginiana to Prairie	
81	-	Spiranthes cernua var. ochroleuca	
82	-	Spiranthes cernua (close up)	
83	-	Spiranthes cernua	
84	-	Spiranthes vernalis	
85	-	Hexalectris spicata	
86	-	Hexalectris spicata	
87	-	Hexalectris spicata	
88	-	Across Ellis Run: Spiranthes cernua var. ochroleuca	
89	-	Habitat group	
90	-	Lynx Prairie entrance	
91	-	Lynx Prairie entrance	
92	-	Hexalectris spicata	
93	-	Echinacea purpurea	
94	-	Gerardia flava var. macrantha	
95	-	Gerardia flava var. macrantha	
96	-	Habitat group	
97	-	Ruellia	
98	-	Trail in late fall	
99	-	Sabatia angularis	
100	-	Euphorbia corollata	
101	-	Gerardia tenuifolia	
102	-	Gerardia tenuifolia	
103	-	Oxypolis rigidior	
104	-	Helianthus occidentalis	
105	-	Along the trail	
106	-	Physostegia virginiana habitat	
107	-	Agave virginica	
108	-	Eryngium yuccifolium	
109	-	Helianthus occidentalis & Silphium terebinthinaceum	
110	-	Silphium terebinthinaceum	
111	-	Silphium terebinthinaceum	
112	-	Silphium terebinthinaceum	
113	-	Silphium terebinthinaceum	114
-	-	Silphium terebinthinaceum	
115	-	Silphium terebinthinaceum & Helianthus occidentalis	

- 116 - Helianthus occidentalis &
Sorghastrum nutans
- 117 - Helianthus occidentalis habitat
- 118 - Helianthus occidentalis habitat
- 119 - Trail, mostly Helianthus
occidentalis
- 120 - Solidago erecta
- 121 - Helianthus occidentalis, Liatris,
Coreopsis tripteris
- 122 - Silphium terebinthinaceum
- 123 - Trail
- 124 - Solidago erecta
- 125 - Liatris
- 126 - Prairie trail, Liatris
- 127 - Along the trail; pines invading prairie
- 128 - Heliopsis helianthoides
- 129 - Trail, late fall
- 130 - Helianthus occidentalis;
Eupatorium altissima
- 131 - Trail; Helianthus occidentalis;
Liatris asper
- 132 - Prairie along trail; Eupatorium altissima
- 133 - Aster laevis
- 134 - Aster laevis
- 135 - Aster prenanthoides
- 136 - Aster simplex
- 137 - Asclepias verticillata
- 138 - Asclepias verticillata
- 139 - Asclepias laevis
- 140 - Asxlepidora viridis
- 141 - Sorghastrum nutans (close up)
- 142 - Sorghastrum nutans
- 143 - Sorghastrum nutans
- 144 - Asclepias verticillata
- 145 - Road - Ellis Run, fall coloring
- 146 - Gentiana quinquefolia var. occidentalis
- 147 - Gentiana quinquefolia var. occidentalis
- 148 - Sorghastrum nutans
- 149 - Prairie in late fall
- 150 - Prairie in late fall, Burr Hill
in background
- 151 - Burr Hill in distance
- 152 - Scene in late fall, 1962
- 153 - Branu sisters in Lynx Prairie, 1964
- 154 - View of Burr Hill
- 155 - View of Burr Hill

- 156 - View of Burr Hill
- 157 - Entering Preserve; sign
- 158 - Bronze marker
- Lynx Loop presentation [#159-238]

I.

- 159 - Prairie slope, *Celtis occidentalis*
var. *pamila*
- 160 - *Phlox carolina* var. *triflora* (close up)
- 161 - *Swertia caroliniensis*
- 162 - *Phlox carolina* var. *triflora*
- 163 - *Lilium philadelphicum* var. *andinum*
- 164 - *Lilium philadelphicum* var. *andinum* (close up)
- 165 - *Asclepias verticillata*
- 166 - *Asclepias verticillata* (pod)
- 167 - Baby nighthawk
- 168 - *Asclepias tuberosa*
- 169 - *Clematis viorna* habitat
- 170 - *Lobelia spicata*, leptostachy
- 171 - *Lilium canadense*, single
- 172 - *Lilium canadense*, single
- 173 - *Asclepias tuberosa*
- 174 - *Gonolobus obliquus*
- 175 - *Cicuta maculata* (close up)
- 176 - *Cicuta maculata*
- 177 - *Cicuta maculata* (seed)
- 178 - *Belamcanda chinensis*
- 179 - *Belamcanda chinensis*
- 180 - *Belamcanda chinensis* (seeds)
- 181 - Abandoned cottage
- 182 - *Juglans nigra*
- 183 - Earl Spires, along side of spring
- 184 - *Lilium canadense*
- 185 - *Lilium canadense*
- 186 - *Monarda fistulosa*
- 187 - *Monarda fistulosa* plus butterfly
- 188 - *Monarda fistulosa* plus butterfly
- 189 - *Angelica villosa*
- 190 - *Angelica villosa* (close up)
- 191 - *Rudbeckia laciniata*
- 192 - *Rudbeckia laciniata*
- 193 - *Asclepias viridiflora*
- 194 - *Asclepias viridiflora*
- 195 - *Asclepias viridiflora* (pods)
- 196 - *Silphium perfoliatum*
- 197 - *Silphium perfoliatum* (close up)

- 198 - *Sericocarpus asteroides*
- 199 - *Phlox maculata*
- 200 - *Phlox maculata*
- 201 - *Passiflora lutea* (close up)
- 202 - *Passiflora lutea* (close up)
- 203 - *Coreopsis tripteris*
- 204 - *Coreopsis tripteris*
- 205 - *Coreopsis tripteris*
- 206 - *Oenothera biennis*, group
- 207 - *Oenothera biennis* (close up)
- 208 - Queen Ann's lace & *Rudbeckia*
- 209 - *Sabatia angularis*
- 210 - *Sabatia angularis*
- 211 - *Sabatia angularis* (close up)
- 212 - *Scutellaria incana*
- 213 - *Sabatia angularis* & *Scutellaria incana*
- 214 - *Silphium trifoliatum*
- 215 - *Buchnera americana*
- 216 - *Desmodium*
- 217 - *Ipomoea pandurata*
- 218 - *Ipomoea pandurata*
- 219 - *Asclepias incarnata*
- 220 - *Pycnanthemum incanum*
- 221 - *Pycnanthemum incanum*
- 222 - *Smilacina racemosa* in fruit
- 223 - *Rudbeckia fulgida*
- 224 - *Clematis virginiana*
- 225 - *Cassia fasciculata* group
- 226 - *Cassia fasciculata* single
- 227 - *Cassia fasciculata* (close up)

- 228 - *Smilax herbacea* in fruit (close up)
- 229 - *Arabis laevigata* in seed
- 230 - *Echinacea purpurea*
- 231 - *Dryopteris thelypteris* [marsh fern]

- 232 - *Dryopteris thelypteris*
- 233 - *Dryopteris thelypteris*
- 234 - *Liatris spicata* habitat
- 235 - *Liatris spicata* single stem
- 236 - *Liatris spicata*
- 237 - *Liatris spicata*, *Ratibida pinnata*
- 238 - *Liatris spicata*

- Buzzard's Roost I.
presentations [#239-458]

<u>I.</u>	239	-	Introductory slide
	240	-	Museum sign
	241	-	Looking south toward Red Rock
	242-245	-	Approaching Buzzard's Roost
	246	-	Gard Griffin
	247	-	Edwina & Gard Griffin
	248	-	<i>Arisaema dracontium</i>
	249	-	<i>Oxalis grandis</i>
	250	-	Lunch time under Rock
	251	-	<i>Gentiana quinquefolia</i>
	252	-	Brauns, H. Brinkman & C. Eulett on trail
	253	-	<i>Pellaea atropurpurea</i> along trail
	254	-	Waterfall
	255	-	<i>Gonolobus obliquus</i>
	256	-	<i>Swertia caroliniensis</i>
	257-261	-	Views from top of Rock
	262-269	-	<i>Arenaria stricta</i> var. <i>texana</i>
	270	-	<i>Xanthoxylum americanum</i> in fruit
	271	-	<i>Xanthoxylum americanum</i> in fruit
	272	-	<i>Celtis tenuifolia</i>
	273-278	-	<i>Liatris cylindracea</i>
	279	-	<i>Liatris cylindracea</i> & <i>Euphorbia corollata</i>
	280-284	-	<i>Liatris cylindracea</i>
	285	-	<i>Boutelous curtipendula</i>
	286-287	-	Views from the rock
	288	-	<i>Helianthus divaricatus</i>
	289	-	<i>Liatris cylindracea</i> on edge of Rock
290		-	Charles Eulett on top of west slope
	291	-	<i>Pellaea atropurpurea</i> ; <i>Asplenium cryptolepsis</i> in dolomite along trail
	292	-	<i>Prenanthes serpentaria</i>
	293	-	<i>Rudbeckia speciosa</i>
	294	-	<i>Celtis tenuifolia</i>
	295	-	<i>Celtis tenuifolia</i> (fruit)
	296-297	-	<i>Gerardia flava</i> var. <i>macrantha</i> along trail near prairie
	298	-	<i>Coreopsis</i>
	299	-	<i>Liatris</i>
	300	-	Mahogany Prairie
	301	-	Woods invading prairie slope
	302-303	-	<i>Aster laevis</i>
	304-305	-	<i>Aster oblongifolius</i>
	306	-	<i>Gentiana quinquefolia</i>
	307-314	-	Views along the trail & under the Rock
	315	-	<i>Gentiana quinquefolia</i>
	316	-	Tulip tree along the Trail

		-	Buzzard's Roost II. presentation
<u>I.</u>	317	-	Hepatica along west slope trail
	318	-	Sanguinaria canadensis
	319-322	-	Approaching the Rock
	323	-	Prairie from opposite slope
	324	-	View from Knob along ridge
	325	-	Anemonella thalictroides
	326-330	-	View - The Rock
	331	-	Fungus along trail
	332-335	-	Up the trail, approaching the Rock
	336-337	-	The Rock!
	338-339	-	Trail under the Rock
	340	-	Amemonella thalictroides
	341	-	Osmorhiza longistylis
	342	-	Trail through shale
	343	-	View from top ridge looking west
	344-346	-	Amelanchier arborea
	347	-	Amelanchier arborea (close up)
	348-351	-	Views of dolomite ridge
	352-353	-	The Rock!
	354	-	Trail through prairie
	355	-	Along trail after waterfall
	356	-	Erythronium americanum
	357-358	-	Delphinium tricorne var. albiflora
	359	-	Along trail
	360	-	Viola triloba
	361	-	Viola sagittata
	362	-	Aquilegia canadensis
	363	-	Oxalis violaceae
	364	-	Nothoscordum bivalve
	365-366	-	Asimina triloba
	367	-	Asimina triloba fruit
	368-369	-	View from trail
	370	-	Lithospermum canescens on dolomite
	371	-	Hypoxis hirsuta
	372-375	-	Dodecatheon meadia
	376-378	-	Sisyrinchium augustifolium
	379	-	Prairie
	380	-	Senecio aureus
	381	-	Aquilegia canadensis
	382	-	Old barn & dolomite cliff
	383	-	Seymeria macrophylla
	384	-	Hexalectris spicata
	385-387	-	View from top

	388-391	-	<i>Liatris cylindracea</i>
	392	-	Prairie
	393-394	-	<i>Prenanthes alba</i>
	395	-	<i>Physostegia virginiana</i>
	396	-	<i>Rhamnus caroliniana</i> (in fruit)
		-	Buzzard's Roost III. presentation
<u>I.</u>	397-398	-	Along trail from Waggoner Ripple
Road			
	399-403	-	The Rock from the west
	404	-	<i>Polemonium reptans</i>
	405-406	-	<i>Lithospermum canescens</i>
	407	-	<i>Stylophorum diphyllum</i>
	408-410	-	<i>Monarda fistulosa</i>
	411	-	<i>Obolaria virginica</i>
	412-413	-	Undercutting of ridge
	414-416	-	<i>Liriodendron tulipifera</i>
	417-418	-	<i>Physocarpus opulifolius</i>
	419-423	-	Views from Mahogany trail
	424	-	<i>Gentiana quinquefolia</i>
	425-426	-	Under dolomitic cliff on west side of Rock
	427	-	<i>Passiflora lutea</i> (fruits)
	428-430	-	<i>Gerardia flava</i> var. <i>macrantha</i>
	431	-	<i>Scutellaria incana</i>
	432-433	-	<i>Liatris cylindracea</i>
	434	-	Bidinger, Earl Spires, Schoop
	435	-	Shale, Chestnut, Oak, and blueberries
	436	-	Dolomitic Knob
	437	-	Trail to Red Rock
	438	-	<i>Rhamnus caroliniana</i>
	439	-	<i>Celtis occidentalis</i> var. <i>pumila</i>
	440	-	View from Red Rock
	441	-	<i>Viola sagittata</i>
	442-446	-	<i>Asclepias verticillata</i>
	447	-	Fungus
	448-450	-	<i>Polymnia uvedalia</i>
	451	-	<i>Ipomoea pandurata</i>
	452	-	<i>Celtis occidentalis</i> var. <i>pumila</i>
	453	-	Praying Mantis on <i>Cercis canadensis</i>
	454-455	-	View from Red Rock
	456	-	Bidinger & Schoop overlooking Ohio Brush Creek Valley
	458	-	View from Red Rock

		-	Davis Memorial & Vicinity presentation [#459-535]
<u>I.</u>	459	-	Bronze marker
	460	-	Shelter
	461-464	-	Old house
	465	-	Old grave lot
	466	-	Log cabin
	467	-	Prairie area, Cedar Fork west
	468	-	Andropogon elliottii habitat
	469-470	-	Celtis occidentalis var. pumila
	471	-	Lithospermum canescens
	472	-	Sisyrinchium albidum
	473-476	-	Lonicera dioica var. glaucescens
	477	-	Asclepias quadrifolia
	478	-	Castilleja coccinea
	479	-	Polygala senega
	480-481	-	Spiranthes lucida
	482-483	-	Blephilia ciliata
	484-485	-	Verbena simplex
	486	-	Asclepias purpurascens
	487-490	-	Ophioglossum engelmannii
	491-495	-	Rhus aromatica & fruit
	496	-	Along Cedar Fork, Physocarpus in foreground
	497	-	Smilax herbacea flowers
	498	-	Hypericum mutilum
	499	-	Hypericum spathulatum
	500-501	-	Campanula americana
	502-503	-	Lycopodium complanatum var. flabelliforme
	504	-	Ohio shales
	505	-	Dolomite
	506-507	-	Polystichum acrostichoides growing in black shale
	508-509	-	Liatris asper
	510-511	-	Spiranthes grayi
	512	-	Gentiana quinquefolia
	513-516	-	Hamamelis virginiana along South trail
	517	-	Exposed dry cliff of Cedarville Dolomite
	518	-	Along Cedar Fork
	519-523	-	Dolomite cliff along Cedar Fork West
	524-534	-	Fault along Cedar Fork. Pebbles Dolomite on left
	535	-	Road sign to Beaver Pond

<u>II.</u>		-	<u>Fort Hill I-IV presentations</u> [#536-845]
		-	<u>Fort Hill I.</u> [#536-612]
<u>II.</u>	536	-	Geologic map, cross section
	537	-	Map
	538	-	Woods in early spring
	539	-	Early spring, 1966
	540	-	Early spring, 1968
	541	-	Baker Fork
	542	-	Sulfur Creek
	543	-	<i>Taxus canadensis</i>
	544	-	Canadian yew
	545-547	-	<i>Trillium nivale</i>
	548	-	<i>Camptosorus rhizophyllus</i>
	549	-	Gorge Trail
	550-554	-	<i>Hepatica acutiloba</i>
	555	-	Baker Fork
	556	-	Natural Bridge, 1956
	557	-	Rosette, Thistle
	558	-	<i>Amelanchier arborea</i>
	559	-	<i>Dicentra cueullaria</i>
	560	-	<i>Claytonia virginica</i>
	561-562	-	<i>Sisyrinchium albidum</i>
	563-565	-	<i>Erythronium americanum</i>
	566-567	-	<i>Anemonella thalictroides</i>
	568	-	Sulfur Creek
	569-576	-	<i>Trillium grandiflorum</i>
	577	-	Along Spring Creek
	578-579	-	Along Baker Fork
	580	-	Along Baker Fork; Dolomitic Bluff; <i>Juniperus virginiana</i>
	581-582	-	<i>Uvularia grandiflora</i>
	583-585	-	<i>Aquilegia canadensis</i>
	586	-	<i>Mitella diphylla</i>
	587-588	-	<i>Arisaema atropurpurea</i>
	589	-	<i>Cardamine douglasii</i>
	590-592	-	<i>Waldsteinia fragarioides</i>
	593	-	<i>Isopyrum biternatum</i>
	594-595	-	<i>Dentaria diphylla</i>
	596	-	<i>Actaea pachypoda</i>
	597-598	-	<i>Stylophorum diphyllum</i>
	599-600	-	<i>Anemone quinquefolia</i>

601	-	Spring Creek trail
602	-	Natural Bridge along Spring Creek trail
603	-	Ranunculus septentrionalis; Senecio aureus; Equisetum
604	-	Senecio aureus
605	-	Ranunculus septentrionalis; Equisetum
606	-	Antennaria fallax var. ambigens
607	-	Apple blossom
608	-	Ostrya virginiana, staminate catkins
609	-	Prunus virginiana
610	-	Along Baker Fork
611-612	-	Baker Fork
	-	<u>Fort Hill II, [#613-688]</u>
613	-	Looking south on Route 41
614	-	Dogwood; Redbud
615	-	Looking toward Highway 41
616	-	Looking toward entrance
617-618	-	Road into Fort Hill
619-620	-	Senecio aureus
621-624	-	Mertensia virginica
625-628	-	Redbud; Dogwood
629	-	Redbud
630	-	Shelter House
631-632	-	Dogwoods
633	-	Beginning of Gorge Trail
634	-	Obolaria virginica
635-637	-	Viburnum prunifolium
638-640	-	Orchis spectabilis
641-643	-	Trillium flexipes
644	-	Goodyera pubescens: seed pods, rosettes
645-646	-	Phlox divaricata
647	-	Truck trail, Fort Hill
648-658	-	Phlox subulata var. brittonii
659-660	-	Viola walteri
661-662	-	Viola conspersa
663-664	-	Viola hirsutula
665	-	Viola rostrata
666-667	-	Viola pennsylvanica
668-669	-	Viola triloba
670-671	-	Viola canadensis
672-680	-	Views from/of top of Fort Hill
681-682	-	Vaccinium corymbosum
683-688	-	Silene pennsylvanica

	-	<u>Fort Hill III., [#689-767]</u>
689-691	-	Views of Fort Hill
692	-	Serpent Mound
693	-	Ophioglossum vulgatum
694	-	Botrychium matricariaefolium
695-696	-	Along Baker Creek
697	-	Thaspium barbinode
698	-	Thaspium trifoliatum
699-700	-	Iris cristata
701	-	Cystopteris bulbifera
702	-	Gorge trail at Spring Creek trail
703-704	-	Polygala senega
705-707	-	Cyripedium calceolus var. pubescens
708	-	Looking down at Baker Fork from Pachystima Knob
709	-	Houstonia canadensis
710	-	George trail along path
711-713	-	Geranium maculatum
714-715	-	Delphinium tricorne
716	-	Bench trail near intersection with Fort trail
717	-	Quercus montana, shale slope
718-722	-	Tradescantia virginiana
723	-	Aplectrum hyemale, leaves & seed pods
724-729	-	Arenaria stricta
730	-	Blephilia ciliata
731	-	Monarda clinopodia
732-733	-	Caulophyllum thalictroides
734-735	-	Phlox carolina
736	-	Asclepias tuberosa
737	-	Log house
738	-	Carpinus caroliniana
739	-	Mitchella repens
740	-	Lilium michiganense
741	-	Athyrium thelypteroides
742	-	Athyrium pycnocarpon
743	-	Adiantum pedatum
744	-	Silene virginica
745-746	-	Hydrangea arborescens
747-748	-	Pyrola elliptica
749	-	Hidden natural bridge
750	-	Hydrophyllum canadense
751-753	-	Saururus cernuus
754	-	Justicia americana

- 755-758 - *Sullivantia sullivantii*
- 759 - *Aralia racemosa*
- 760-761 - *Helianthus microcephalus*
- 762 - *Lilium canadense*
- 763 - *Tipularia*
- 764 - *Botrychium obliquum*
- 765 - Earth star
- 766 - *Triphora trianthophora* group
- 767 - *Dennstaedtia punctilobula*

- Fort Hill IV., [#768-845]

II.

- 768-771 - Views of Fort Hill
- 772-773 - *Aster prenanthoides*
- 774 - *Panax quinquefolius*, in fruit
- 775 - Under dolomite cliff
- 776 - Baker Fork
- 777 - *Solidago caesia*
- 778 - *Gentiana andrewsii*
- 779 - *Silene* slope
- 780 - *Quercus montana* in autumn
- 781 - *Silene caroliniana* var. *Wherryi*
- 782 - Trail along Spring Creek
- 783 - *Aster puniceus*
- 784 - Baker Fork
- 785-786 - George trail: fall coloring
- 787 - *Pachystima* Knob
- 788 - *Pachystima canbyi*
- 789 - Baker Fork
- 790 - Hidden natural bridge
- 791 - Baker Fork
- 792 - *Climacium americanum*
Tree moss
- 793-795 - Fort Hill: profile, Fall color
- 796 - Trail through *Juniperus virginiana* to old field
- 797 - *Menispermum canadense*, seeds
- 798 - British soldiers
- 799 - *Polyporus versicolor*
- 800 - Along *Botrychium* trail
- 801 - *Polyporus sulfureus*
- 802 - *Aplectrum hyemale*
- 803 - *Lycopodium complanatum*, *flabelliforme*
- 804 - Fungus
- 805 - *Botrychium* trail, south entrance
- 806 - Beginning of trail from south to

- 807 - Spring Creek
Acer rubrum in foreground
Acer saccharum in background
- 808 - Beech Elm, Tulip
- 809 - Along Truck trail, black cherry,
shagbark, hickory, beech, red oak
- 810 - Large trees
- 811 - Looking toward entrance of Fort Hill
- 812 - Magnolia acuminata & Lucy [Braun]
- 813 - Ice ribbons on Cunila organoides
- 814 - Fomes rimous, perennial fungus on
black locust
- 815 - Looking southwest from Fort Hill
- 816-817 - Quercus coccinea
- 818 - Twisted trunks of Quercus montana
on shale barrens
- 819 - Looking north from parking lot
- 820 - Fungus along Truck trail
- 821-827 - Trail along fort wall
- 828 - Polystichum acrostichoides
- 829 - Along trail, fort wall
- 830 - Old chestnut stump along wall
- 831 - Dryopteris marginalis
- 832-838 - Views from top
- 839-840 - Baker Fork
- 841 - Cave on west side of Baker Fork,
from Hepatica Point
- 842 - Baker Fork
- 843 - South entrance, Circular Mound
- 844 - Populus grandidentata
- 845 - Jarnigan Knob from Highway 124
- Fort Hill general slides [#846-1,185]
- March
- 846 - Early spring along Baker Fork
- 847-849 - Trillium nivale
- 850-851 - Hepatica acutiloba
- 852-853 - Sulphur Creek in spring
- April
- 854-856 - Along Baker Fork south,
Pachystima Knob in distance
- 857-859 - Phlox subulata var. brittonii

- 860-861 - *Viburnum prunifolium*
- 862 - Claytonia virginica along Gorge trail
- 863 - Erythronium americanum
- 864-865 - Phlox subulata var. brittonii
- 866 - Phlox divaricata along trail
- 867 - Dogwood & redbud
- 868 - Viola canadensis
- 869 - Entrance to Fort Hill
- 870 - Trillium grandiflorum
- 871 - Anemone quinquefolia
- 872 - Arisaema
- 873 - Aquilegia canadensis
- 874 - Silene caroliniana var. wherryi
- 875 - Erythronium americanum, seed pods
- 876-877 - Phlox subulata var. brittonii
- 878 - Trillium gleasonii
- 879 - Mertensia virginica in woods
- 880-883 - Geranium maculatum
- 884 - Aralia racemosa
- 885 - Arenaria stricta
- 886 - Thaspium trifoliatum
- 887 - Arenaria stricta
- 888 - Gorge trail, under cliff
- 889 - Dicentra cucullaria
- 890 - Phlox subulata var. brittonii
- 891-892 - Hepatica acutiloba
- 893 - Uvularia grandiflora
- 894-895 - Phlox subulata var. brittonii
- 896-897 - Trillium nivale
- May
- 898 - Pachystima Knob
- 899-900 - Cypripedium calceolus var. pubescens
- 901 - Along Baker Fork
- 902 - Tradescantia virginiana
- 903 - Quercus montana
- 904 - Phlox subulata var. brittonii
- 905 - Waldsteinia fragarioides
- 906 - Tradescantia virginiana
- 907 - Ulmus americana
- 908-909 - Tradescantia virginiana
- 910 - Redbud
- 911 - Fungus
- 912-913 - Beech buds
- 914 - Houstonia canadensis

- 915-917 - Iris cristata
- 918 - Orchis spectabilis
- 919-920 - Trillium flexipes
- 921 - Cypripedium calceolus var. pubescens
- 922 - Orchis spectabilis
- 923 - Cypripedium calceolus var. pubescens
- 924-928 - Silene caroliniana var. wherryi
- 929 - Uvularia grandiflora

- June

- 930 - Arenaria stricta var. stricta
- 931 - Sullivantia sullivantii
- 932 - South slope of Fort Hill
- 933 - Hydrangea arborescens
- 934-935 - Ulmus americana
- 936 - Cimicifuga racemosa
- 937 - Ulmus americana
- 938 - Monarda fistulosa albescens
- 939 - Blephilia ciliata
- 940 - Mitchella repens
- 941 - Justicia americana
- 942 - Mitchella repens
- 943-948 - Sullivantia sullivantii
- 949-954 - Arenaria stricta var. stricta

- August, September, October

- 955 - Lycopodium Trail
- 956 - Lilium canadense
- 957 - Triphora trianthophora
- 958 - Lycopodium Trail
- 959-960 - Triphora trianthophora
- 961-962 - Fort Hill profile
- 963-966 - Tipularia discolor
- 967 - Oenothera biennis
- 968 - Quercus alba; Blackberry
- 969 - Fort Hill profile
- 970 - Allium canadense
- 971 - Lycopodium Trail
- 972 - Polyporus sulfureus
- 973 - Lycopodium Trail
- 974 - Baker Fork
- 975 - Fort Hill profile
- 976 - Pyrola eiliptica
- 977 - Gentiana andrewsii with Equisetum

- 978 - Beginning of trail
- 979 - Baker Fork
- 980 - *Gentiana andrewsii*
- 981 - *Liriodendron tulipifera*
- 982 - Beech elm, tulip along Truck trail
- 983 - Fall color along Fort Wall
- 984 - *Gentiana andrewsii*
- 985 - *Liriodendron tulipifera*
- 986 - Trail in autumn
- 987 - Baker Fork
- 988 - Aster
- 989-990 - Baker Fork

- November

- 991 - Botrychium trail
- 992 - *Camptosorus rhizophyllus*
- 993 - Beginning of trail
- 994 - Fall coloring
- 995 - Looking northwest from parking area
- 996-997 - Fall coloring
- 998 - Looking down on Baker Fork
- 999 - Looking up Baker Fork
- 1,000 - Looking southwest
- 1,001 - Fall coloring
- 1,002 - Near Baker Fork, hidden natural bridge
- 1,003 - Looking down on Baker Fork
- 1,004 - Looking up Fort Trail
- 1,005 - Woods along Truck Trail near south entrance
- 1,006 - *Ulmus americana*
- 1,007 - Looking southwest
- 1,008 - *Ulmus americana*
- 1,009 - Fall coloring
- 1,010 - *Populus grandidentata*
- 1,011 - *Pachystima canbyi*
- 1,012-14 - Fall coloring, trail
- 1,015 - *Cladonia*

- Fort Hill general

- 1,016-17 - Beginning of trail
- 1,018 - Under dolomite ledge
- 1,019 - Beginning of trail
- 1,020 - *Camptosorus rhizophyllus*
- 1,021 - *Prunus virginiana*

1,022	-	Prairie compositae
1,023	-	Fall color on Lycopodium Trail
1,024	-	Triphora trianthophora
1,025	-	Aralia racemosa
1,026	-	Reed's Hill
1,027	-	Quercus montana; shale slope
1,028-29	-	Beginning of trail
1,030	-	Fall coloring
1,031	-	Lindera benzoin (in fruit)
1,032	-	Cystopteris bulbifera
1,033	-	Waldsteinia fragarioides
1,034	-	Caltha palustris
1,035	-	Quercus muehlenbergii, Quercus montana
1,036	-	Reed's Hill
1,037	-	Botrychium obliquum Botrychium dissectum
1,038	-	Rock covered with Camptosorus rhizophyllus
1,039	-	Hidden natural bridge
1,040	-	Ophioglossum vulgatum
1,041	-	Phlox subulata var. brittonii
1,042	-	Thaspium barbinode
1,043	-	Cimicifuga racemosa close up
1,044	-	Phlox subulata var. brittonii (Phlox Rock)
1,045	-	Oxalis violacea
1,046	-	Lycopodium complanatum close up
1,047	-	Truck trail, Phlox divaricata
1,048	-	Phlox divaricata
1,049	-	Cimicifuga racemosa
1,050	-	Phlox carolina triflora
1,051	-	Hydrangea arborescens en masse
1,052	-	Silene caroliniana var. wherri; Quercus montana
1,053	-	Fungus
1,054	-	Beginning of Spring Creek Trail: Lucy Braun
1,055-93	-	Violets
1,094-121	-	Saururus cernuus
	-	<u>Orchids</u>
1,122-25	-	Spiranthes gracilis
1,126	-	Spiranthes lucida
1,127-30	-	Liparis lilifolia
1,131-35	-	Hexalectris spicata

- 1,136-42 - *Spiranthes cernua*
- 1,143-49 - *Spiranthes vernalis*
- 1,150-52 - Fungus
- 1,153 - Lucy & Annette Braun
- 1,154 - *Fagus grandifolia* (500 or 600 years old)
- 1,155 - *Magnolia geuminala*, Lucy & Annette Braun
- 1,156 - *Athyrium thelypteroides*
- 1,157 - *Dryopteris marginalis*
- 1,158-62 - *Botrychium matricariaefolium*
- 1,163 - *Cystopteris bulbifera*;
Sullivantia sullivantii
- 1,164 - *Silene caroliniana* var. *wherri*
- 1,165 - *Silene caroliniana* var. *wherri*;
Quercus montana, Ohio black shale
Lucy Braun
- 1,166 - Hidden natural bridge;
Lucy & Annette Braun
- 1,167 - *Dryopteris*
- 1,168 - *Botrychium obliquum*; *Botrychium dissectum*
- 1,169 - *Cystopteris bulbifera*
- 1,170 - Gorge Trail
- 1,171 - *Botrychium matricariaefolium*
- 1,172 - *Silene caroliniana* var. *wherri*
- 1,173-74 - *Botrychium matricariaefolium*
- 1,175 - *Botrychium dissectum*; *Botrychium obliquum*
- 1,176 - *Silene caroliniana* var. *wherri*
- 1,177 - *Botrychium dissectum*; *Botrychium obliquum*
- 1,178 - Fort Hill map
- 1,179 - Guide map
- 1,180 - Geologic map, cross-section
- 1,181 - Old cabin
- 1,182 - Map
- 1,183 - Along trail
- 1,184 - Truck Trail near south entrance
- 1,185 - *Thaspium*
- Prairie Flora I.
[original order slide presentation
#1,186-1,263]
- III. 1,186 - Prairie from Buzzard's Roost

1,187	-	On top of dolomite cliff, Cedar Fork west
1,188	-	<i>Andropogon eliottii</i>
1,189	-	Prairie Knob; <i>Arbor vitae</i> & <i>Juniperus virginiana</i>
1,190	-	<i>Draba cuneifolia</i>
1,191-92	-	<i>Erythronium albidum</i>
1,193-95	-	<i>Leavenworthia uniflora</i>
1,196-97	-	<i>Viola sagittat</i>
1,198	-	<i>Obolaria virginica</i>
1,199	-	Shivener Prairie
1,200	-	<i>Castilleja coccinea</i> ; <i>Dodecatheon meadia</i>
1,201	-	<i>Castilleja coccinea</i>
1,202-04	-	<i>Dodecatheon meadia</i>
1,205	-	<i>Krigia biflora</i>
1,206-07	-	<i>Viola pedatifida</i>
1,208	-	<i>Lithospermum canescens</i>
1,209	-	<i>Nothoscordum bivalve</i>
1,210-11	-	<i>Hypoxis hirsuta</i>
1,212-13	-	<i>Sisyrinchium albidum</i>
1,214-15	-	<i>Senecio plattensis</i>
1,216	-	<i>Polygala senega</i>
1,217-21	-	<i>Phlox pilosa</i>
1,223-24	-	<i>Ophioglossum engelmannii</i>
1,125	-	<i>Arenaria stricta texana</i>
1,126	-	<i>Arenaria texana</i>
1,227	-	<i>Cuphea petiolata</i>
1,228-31	-	<i>Asclepiodora viridis</i>
1,232	-	<i>Ruellia humilis</i>
1,233	-	<i>Swertia caroliniensis</i>
1,234-36	-	<i>Phlox carolina</i> var. <i>triflora</i>
1,237-38	-	<i>Passiflora lutea</i>
1,239-40	-	<i>Passiflora incarnata</i>
1,241	-	<i>Monardo fistulosa</i>
1,242-43	-	<i>Rosa setigera</i>
1,244-47	-	<i>Baptisia leucantha</i>
1,248-49	-	<i>Verbesinia helianthoides</i>
1,250	-	<i>Thalictrum revolutum</i>
1,251-54	-	<i>Ratibida pinnata</i>
1,255-57	-	<i>Gonolobus obliquus</i>
1,258	-	<i>Verbena simplex</i>
1,259-60	-	<i>Blephilia ciliata</i>
1,261	-	<i>Coreopsis tripteris</i>
1,262	-	<i>Clitoria mariana</i>
1,263-66	-	<i>Lilium philadelphicum</i> var. <i>andinum</i>

- Prairie Flora II.
[original order slide presentation,
#1,267-1,345]
- 1,267-71 - *Silphium terebinaceum*
- 1,272 - Prairie north of Lake Adams
- 1,273-74 - *Liatris squarrosa*
- 1,275-76 - *Delphinium exaltatum*
- 1,277-79 - *Helianthus occidentalis*
- 1,280-82 - *Agave virginica*
- 1,283-84 - *Silphium trifoliatum*
- 1,285-86 - *Buchnera americana*
- 1,287-89 - *Liatris spicata*
- 1,290-92 - *Silphium perfoliatum*
- 1,293-95 - *Asclepias viridiflora*
- 1,296 - *Rudbeckia triloba*
- 1,297-98 - Prairie opening: *Liatris asper*
- 1,299 - Prairie opening
- 1,300-01 - *Eryngium yucciaefolium*
- 1,302-04 - *Cassia fasciculata*
- 1,305-06 - *Asclepias verticillata*
- 1,307-08 - *Vernonia fasciculata*
- 1,309 - *Solidago nemoralis*
- 1,310-11 - *Lobelia spicata* var. *leptostachys*
- 1,312-14 - *Liatris cylindracea*
- 1,315 - *Bouteloua curtipendula* on the Rock
- 1,316-17 - *Rudbeckia fulgida*
- 1,318-19 - *Solidago rigida*
- 1,320 - *Actinomeris alternifolia*
- 1,321-22 - *Sabatia angularis*
- 1,323 - *Allium cernuum*
- 1,324-25 - *Spiranthes grayi*
- 1,326-28 - *Echinacea purpea*
- 1,329-30 - *Physostegia virginiana*
- 1,331-32 - *Aster oblongifolius*
- 1,333-34 - *Heliopsis helianthoides*
- 1,335 - *Solidago juncea*
- 1,336 - Along Nivale Trail: *Andropogon scoparius*
- 1,337-38 - *Gentiana andrewsii*
- 1,339 - *Gentiana quinquefolia* along Nivale Trail
- 1,340-41 - *Gentiana flavida*
- 1,342 - *Sorghastrum nutans*
- 1,343 - *Andropogon gerardii*; Prairie

- 1,344 - Prairie in late fall
- 1,345 - Brauns, Griffins, Eulett

- Wild Flowers Through the Seasons

I.

[original order slide presentation,
#1,346-1,425]

- 1,346 - Falls, Cedarville
- 1,347-49 - Symplocarpus foetidus group
- 1,350-51 - Erigenia bulbosa
- 1,352 - Trillium nivale
- 1,353 - Trillium nivale, two blossoms
- 1,354 - Trillium nivale, close up
- 1,355 - Caltha palustris habitat
- 1,356 - Caltha palustris, one plant
- 1,357-59 - Hepatica acutiloba
- 1,360 - Camptosorus rhizophyllus
- 1,361-63 - Sanguinaria canadensis [group,
single, seed pods]
- 1,364 - Asarum canadense group
- 1,365-66 - Dicentra cucullaria
- 1,367-68 - Dicentra canadensis
- 1,369 - Cystopteris fragilis
- 1,370-71 - Dentaria laciniata
- 1,372 - Dentaria heterophylla
- 1,373-74 - Dentaria diphylla
- 1,375-76 - Trillium sessile
- 1,377-78 - Trillium grandiflorum
- 1,379-80 - Trillium recurvatum
- 1,381-82 - Jeffersonia diphylla
- 1,383 - Cystopteris bulbifera
- 1,384-85 - Erythronium albidum
- 1,386-87 - Erythronium americanum
- 1,388-89 - Claytonia virginica
- 1,390-91 - Stylophorum diphyllum
- 1,392-93 - Mertensia virginica
- 1,394-95 - Erigeron pulchellus
- 1,396-97 - Aquilegia canadensis
- 1,398-99 - Cardamine douglasii
- 1,400-02 - Phlox divaricata
- 1,403-04 - Collinsia verna
- 1,405-06 - Arisaema atrorubens
- 1,407-08 - Polemonium reptans var. villosum
- 1,409-10 - Podophyllum peltatum
- 1,411-12 - Tradescantia virginiana

- 1,413-14 - Anemone quinquefolia
- 1,415 - Hydrophyllum appendiculatum
- 1,416 - Anemonella thalictroides
- 1,417-18 - Geranium maculatum
- 1,419-20 - Isopyrum biternatum
- 1,421-22 - Delphinium tricornis
- 1,423-24 - Waldsteinia fragarioides
- 1,425 - Along trail beyond falls,
Buzzard's Roost, Adams County

- Wild Flowers Through the Seasons II.
[original order slide presentation,
#1,426-1,503]

- III.
- 1,426 - Cercis canadensis
 - 1,427-28 - Cornus florida
 - 1,429 - Old apple tree
 - 1,430 - Apple blossom
 - 1,431-33 - Prunus americana
 - 1,434-37 - Sassafras albidum
 - 1,438-40 - Asimina triloba
 - 1,441-42 - Robinia pseudoacacia
 - 1,443-44 - Liriodendron tulipifera
 - 1,445 - Viola papilionacea; Viola biflora
 - 1,446-48 - Viola pedata var. biflora
 - 1,449-50 - Viola canadensis
 - 1,451 - Viola cucullata
 - 1,452 - Viola blanda
 - 1,453 - Viola hirsutula
 - 1,454 - Viola pennsylvanica
 - 1,455-56 - Viola conspersa
 - 1,457-58 - Viola walteri
 - 1,459 - Viola striata
 - 1,460 - Viola rostrata
 - 1,461 - Viola sagittata
 - 1,462 - Fossil fern in concretions--Sticksell
 - 1,463 - Dryopteris cristata
 - 1,464-65 - Athyrium pycnocarpon
 - 1,466 - Adiantum pedatum
 - 1,467 - Asplenium trichomanes group
 - 1,468 - Asplenium trichomanes single plant
 - 1,469 - Athyrium filix-femina
 - 1,470-71 - Botrychium matricariae folium
 - 1,472-73 - Pellaea atropurpurea
 - 1,474 - Ophioglossum engelmannii group

- 1,475 - *Thelypteris noveboracensis*
- 1,476 - *Dennstaedtia punctilobula*
- 1,477-78 - *Dryopteris thelypteris* var. *pubescens*
- 1,479-80 - *Corallorhiza wisteriana*
- 1,481-82 - *Liparis lilifolia*
- 1,483-84 - *Cypripedium calceolus* var. *pubescens*
- 1,485-88 - *Cypripedium acaule*
- 1,489-90 - *Cypripedium reginae*
- 1,491 - *Habenaria psychodes*
- 1,492-93 - *Habenaria lacera*
- 1,494 - *Habenaria peramoena*
- 1,495-96 - *Aplectrum hyemale*
- 1,497-98 - *Goodyera pubescens*
- 1,499 - *Tipularia discolor*
- 1,500 - *Tipularia discolor* close up
- 1,501-02 - *Triphora trianthophora* group
- 1,503 - Fort Hill Gorge Trail path

- Wild Flowers Through the Seasons III.
[original order slide presentation,
#1,504-1,583]

- 1,504 - South entrance to Fort Hill trail
- 1,505 - *Potentilla canadensis*
- 1,506 - *Sedum ternatum* in bud
- 1,507 - *Ranunculus septentrionalis*
- 1,508-09 - *Uvularia grandiflora*
- 1,510 - *Uvularia perfoliata*
- 1,511-13 - *Podophyllum peltatum*
- 1,514 - *Ruellia strepens*
- 1,515 - *Oxalis grandis*
- 1,516-17 - *Oxalis violacea*
- 1,518 - *Lysimachia nummularia*
- 1,519 - *Lysimachia quadrifolia*
- 1,520 - *Chrysanthemum leucanthemum*
- 1,521-22 - *Carduus nutans*
- 1,523-24 - *Scutellaria pilosa*
- 1,525 - *Campanula americana*
- 1,526-27 - *Rosa setigera*
- 1,528 - *Hydrophyllum canadense*
- 1,529 - *Panax quinquefolius* showing
inflorescence
- 1,530-31 - *Mimulus ringens*
- 1,532 - *Mimulus alatus*
- 1,533-34 - *Hypericum punctatum*

- 1,535 - Hydrastis canadensis
- 1,536 - Liliium michiganense
- 1,537-39 - Liliium canadense
- 1,540-41 - Liliium superbum
- 1,542 - Typha latifolia, edge of Blue Creek Swamp
- 1,543-45 - Nelumbo lutea
- 1,546 - Fungus
- 1,547-50 - Daucus carota
- 1,551 - Hemerocallis fulva
- 1,552-54 - Cichorium intybus
- 1,555 - Monardo didyma
- 1,556-57 - Sambucus canadensis
- 1,558-59 - Bignonia radicans
- 1,560 - Veronia altissima
- 1,561 - Asclepias quadrifolia
- 1,562-64 - Asclepias purpurascens
- 1,565 - Juncus
- 1,566-68 - Asclepias longifolia
- 1,569-70 - Asclepias incarnata
- 1,571-73 - Asclepias variegata
- 1,574-75 - Asclepias syriaca
- 1,576 - Asclepias tuberosa
- 1,577 - Swallowtail caterpillar on
Asclepias tuberosa
- 1,578-79 - Oenothera biennis
- 1,580-81 - Lobelia cardinalis
- 1,582 - Onoclea sensibilis
- 1,583 - Vevay, Indiana: Ferry Boat

- Wild Flowers Through the Seasons IV.
[original order slide presentation,
#1,584-1,663]

- 1,584 - Stillwater River, Miami County, Ohio
- 1,585 - Ratibida pinnata; Daucus carota en masse
- 1,586-87 - Rudbeckia speciosa
- 1,588 - Coreopsis tripteris, vicinity of old barn
- 1,589 - Helianthus hirsutus, vicinity of old barn
- 1,590-91 - Cassia nictitans
- 1,592-93 - Cassia fasciculata
- 1,594-95 - Cassia marilandica
- 1,596-97 - Cassia hebecarpa
- 1,598-99 - Bidens, en masse in field
- 1,600 - Lacuta hirsuta
- 1,601-02 - Helianthus microcephalus

1,603	-	<i>Helianthus hirsutus</i>
1,604	-	<i>Heliopsis helianthoides</i>
1,605	-	<i>Coreopsis major</i>
1,606-07	-	<i>Eupatorium rugosum</i>
1,608	-	Old Field
1,609	-	Praying mantis
1,610	-	<i>Solidago nemoralis</i>
1,611	-	<i>Solidago altissima</i>
1,612	-	<i>Solidago graminifolia</i>
1,613	-	<i>Solidago</i>
1,614	-	<i>Solidago caesia</i>
1,615	-	<i>Solidago ulmifolia</i>
1,616	-	Kentucky, en route to Clack Mountain
1,617	-	Walkingstick
1,618-19	-	<i>Aster puniceus</i>
1,620	-	<i>Aster cordifolius</i>
1,621	-	<i>Aster simplex</i> ; Panicked Aster
1,622	-	<i>Aster novae-angliae</i>
1,623	-	<i>Aster linariifolius</i>
1,624	-	Nuts! <i>Juglans nigra</i>
1,625	-	<i>Diospyros virginiana</i> branch with leaves and fruit
1,626	-	<i>Spiranthes gracilis</i>
1,627	-	<i>Spiranthes vernalis</i>
1,628	-	<i>Spiranthes cernua</i>
1,629	-	<i>Corallorhiza odontorhiza</i>
1,630	-	Garden spider & web
1,631-32	-	<i>Apios americana</i>
1,633-34	-	<i>Eupatorium fistulosum</i>
1,635	-	<i>Phytolacca americana</i> fruit
1,636-37	-	<i>Gentiana crinita</i>
1,638-39	-	<i>Gentiana andrewsii</i>
1,640-41	-	<i>Gentiana flavida</i>
1,642-43	-	Mahogany Prairie: <i>Gentiana</i> <i>quinquefolia</i>
1,644	-	Little Miami River from bridge at Foster, Ohio
1,645-46	-	<i>Euonymus atropurpureus</i>
1,647	-	Pike Lake, along lake
1,648	-	<i>Nyssa sylvatica</i>
1,649	-	<i>Carya tomentosa</i>
1,650-52	-	Adams County along Highway 125 near Scioto County line
1,653	-	<i>Celastrus scandens</i>
1,654-56	-	<i>Hamamelis virginiana</i>
1,657	-	<i>Fagus grandifolia</i>

- 1,658 - Parthenocissus quinquefolia
- 1,659 - Osage orange at Fort Ancient
- 1,660 - Pike County, fodder in the shock
- 1,661 - Dryopteris marginalis
- 1,662 - Christmas fern along Botrychium trail
- 1,663 - Sunset along Highway 125

- Braunwood [#1,664-1,704]

- 1,664 - Cassia marilandica
- 1,665-66 - Cassia hebecarpa
- 1,667 - Tiarella cordifolia
- 1,668 - Erigenia bulbosa
- 1,669 - Lucy & Annette
- 1,670 - Braun's home
- 1,671 - Goodyera pubescens, two plants
- 1,672 - Dicentra cucullaria
- 1,673-76 - Cassia nictitans
- 1,677-79 - Goodyera pubescens
- 1,680 - Panax quinquefolius, showing
green seed cluster
- 1,681 - Tipularia discolor
- 1,682 - Disporum maculatum
- 1,683-85 - Lilium michiganense
- 1,686-87 - Dryopteris filix-mas (male fern)
- 1,688 - Dryopteris hexagonoptera (Broad beech fern)
- 1,689 - Athyrium filix-femina (lady fern)
- 1,690 - Onoclea sensibilis (Sensitive fern)
- 1,691-92 - Goodyera pubescens
- 1,693-95 - Polypodium polypodioides
- 1,696-97 - Helleborus niger
- 1,698-1,701 - Lilium superbum
- 1,702 - Cassia hebecarpa
- 1,703-04 - Erigenia bulbosa

- Marion Becker's [#1,705-1,720]

- 1,705-07 - Stylophorum diphyllum
- 1,708 - Anemonella thalictroides
- 1,709-16 - Collinsia verna
- 1,717 - Viola canadensis
- 1,718-19 - Isopyrum biternatum
- 1,720 - Polemonium reptans

- Fulford's [#1,721-1,727]

- 1,721-24 - *Sassafras albidum*
- 1,725-26 - *Robinia pseudoacacia*
- 1,727 - *Juglans nigra*
- Misc. plants
- 1,728-30 - *Dentaria diphylla*
- 1,731 - *Hydrophyllum appendiculatum*
- 1,732 - *Dentaria diphylla*
- 1,733 - *Cornus florida*
- 1,734 - Twinleaf capsule
- 1,735 - *Spiranthes cernua* in Fulford's
Fields, Hamilton County
- 1,736 - Fulford's fungus
- 1,737 - Osage organge at Fort Ancient
- 1,738 - *Mimulus alatus*
- 1,739 - *Alisma subcordatum*
- 1,740 - *Prunus serotina*
- 1,741 - *Eupatorium urticaefolium*
- 1,742 - Jackson County scene
- 1,743 - *Osmunda cinnamomea* in Bowie's
Gulch, Jackson County
- Clifton Gorge [#1,744-1,765]
- 1,744-46 - *Asplenium cryptolepis*
- 1,747-49 - *Pellaea atropurpurea*
- 1,750-51 - *Lamium purpureum*
- 1,752 - *Trillium nivale*
- 1,753 - *Asarum canadense* group
- 1,754 - *Dicentra cucullaria*
- 1,755 - *Jeffersonia diphylla*, single
- 1,756 - *Symplocarpus foetidus*
- 1,757-59 - *Hepatica acutiloba*
- 1,760 - Glen Helen, Yellow Spring
- 1,761 - Glen Helen, Grotto, Yellow Spring
- 1,762 - Glen Helen, Cascades in Birch Creek
- 1,763 - Glen Helen, Indian Mound
- 1,764 - Glen Helen, Pompey's Pillar, dolomite
- 1,765 - Falls at Cedarville
- Hocking County I. [#1,766-1,785]
- 1,766-67 - *Tiarella cordifolia*
- 1,768 - *Viola rostrata*
- 1,769-70 - *Dentaria diphylla*

1,771-75	-	Trillium erectum
1,776-80	-	Viola blanda
1,781-83	-	Phlox stolonifera
1,784	-	Old Man's Cave along trail
1,785	-	Amelanchier
	-	<u>Hocking County II.</u> [#1,786-1,809]
1,786-90	-	Viola (hybrid)
1,791-92	-	Conkle's Hollow
1,793	-	Anemone quinquefolia
1,794	-	Phlox stolonifera
1,795	-	Trillium erectum blossom showing the six stamens
1,796-97	-	Cedar Falls
1,798	-	Saxifraga virginensis
1,799	-	Viola rostrata
1,800-06	-	Trillium erectum
1,807-09	-	Trillium grandiflorum
	-	<u>Hocking County III.</u> [#1,810-1,830]
1,810-28	-	Winter scenes
1,829	-	Chimaphila umbellata
1,830	-	Habenaria lacera
	-	<u>Cedar Swamp</u> [#1,831-1,908]
1,831-32	-	Marker
1,833-34	-	Caltha palustris
1,835	-	Arbor-vitae habitat
1,836	-	Nasturtium officinale along stream
1,837	-	Smilacina stellata
1,838	-	Polemonium reptans
1,839-40	-	Dryopteris cristata
1,841	-	Arbor-vitae
1,842	-	Cypripedium calceolus var. pubescens
1,843-44	-	Trientalis borealis
1,845	-	Ranunculus septentrionalis
1,846	-	Actaea pachypoda
1,847	-	Maianthemum canadense
1,848	-	Alnus rugosa
1,849-53	-	Cypripedium reginae
1,854	-	Viola cucullata
1,855-63	-	Calopogon pulchellus
1,864	-	Calopogon pulchellus and

		Tofieldia glutinosa
1,865-67	-	Tofieldia glutinosa
1,868	-	Along roadway
1,869	-	Utricularia cornuta
1,870-72	-	Cacalia tuberosa
1,873-75	-	Habenaria psycodes
1,876	-	Potentilla fruticosa
1,877-79	-	Cypripedium reginae
1,880-86	-	Gentiana crinata
1,887-90	-	Gentiana crinata, habitat
1,891	-	Aster umbellatus
1,892	-	Solidago ohioensis
1,893	-	Sanguisorba canadensis
1,894	-	Lobelia?
1,895	-	Garden spider & web
1,896-97	-	Parnassia glauca habitat
1,898-99	-	Habitat
1,900	-	Eriophorum viridicarinatum
1,901	-	Habitat
1,902-04	-	Calopogon pulchellus
1,905	-	Viola
1,906	-	Habitat
1,907	-	Cypripedium reginae
1,908	-	Habitat
	-	<u>Cranberry Island & Buckeye Lake</u>
1,910-14	-	Pogonia ophioglossoides
1,915-17	-	Calopogon puchellus & habitat
1,918-19	-	Oxycoccus macrocarpus & habitat
1,920-23	-	Habitat
1,924	-	Cypripedium reginae
1,925-26	-	Rosa palustris, close up & group
	-	<u>Misc.</u>
1,927	-	Sparti[?]
1,928	-	Stillwater River
1,929	-	Asarum canadense
1,930	-	Little Miami River from Bridge at Foster
1,931	-	Spiranthes lucida
1,932-33	-	Liatris cylindracea on the rock
1,934-36	-	Ferns
1,937	-	Valerianella
1,938	-	Braun's home, Lucy & Annette
1,939	-	Gerardia purpurea; Arthur Harper

- 1,940-41 - *Gentiana crinita*
- 1,942 - Mentor Marsh
- 1,943 - Pike Lake, Lucy and old chestnut stump
- 1,944 - *Viola rostrata*; *Viola striata*; *Viola braunii*
- 1,945-46 - *Corallorhiza wisteriana*
- 1,947-48 - *Lilium*
- 1,949-50 - *Campanula americana*
- 1,951 - *Campsis radicans*
- 1,952 - *Anemonella thalictroides*
- 1,953-56 - Little Miami River
- 1,957-62 - *Erythronium rostratum*

- Adams County

- IV. 1,963 - Adams County Mineral Springs: The Spring!
- 1,964 - Highway 125: Sunset, August, 1961
- 1,965-69 - Highway 125 at Blue Creek:
Concretions in Devonian shale
- 1,970-71 - Map: Ohio Zane's Trace
- 1,972 - Zane Trace monument
- 1,973-74 - Treber Inn
- 1,975-76 - Cedar logs being transported to the East
- 1,977-78 - Hills north of Lynx
- 1,979-80 - Fossil ripple marks, Elk Run near Winchester
- 1,981-82 - Old quarry along Highway 125
- 1,983 - Showing Brassfield limestone,
dividing line between Ordovician
(Elkhorn shale) and Silurian,
along Highway 41
- 1,984 - View near Highland county line
- 1,985 - Ellis run
- 1,986-88 - *Passiflora incarnata*
- 1,989-90 - Unidentified woman on porch stoop
- 1,991 - *Houstonia caerulea*
- 1,992 - *Potentilla canadensis*
- 1,993 - *Aster*
- 1,994-96 - Spider
- 1,997-98 - *Malaxis unifolia*
- 1,999 - Fungus (Mushroom)
- 2,000 - *Camassia scilloides*
- 2,001-11 - *Aster*
- 2,012-13 - *Corylus americana* (& nuts)
- 2,014 - *Solidago altissima*

- Adams County: Blue Creek

- 2,015-17 - Green snake
- 2,018 - Blue Creek Swamp habitat
- 2,019-21 - Lobelia cardinalis & habitat
- 2,022-25 - Rhexia virginica
- 2,026 - Pycnanthemum flexuosum
- 2,027-30 - Cassia hebecarpa
- 2,031 - Pycnanthemum flexuosum
- 2,032 - View along roadway, Blue Creek to Jones Corner

- 2,033-39 - Habenaria peramoena
- 2,040-42 - Cephalanthus occidentalis
- 2,043-44 - Polygala sanguinea
- 2,045 - Helenium nudiflorum
- 2,046-47 - Heliopsis helianthoides

- Beaver Pond

- 2,048-49 - Silene caroliniana var. wherryi
on Ohio Black shale
- 2,050-52 - Cypripedium acaule
- 2,053-54 - Sambucus canadensis
- 2,055 - Asclepias syriaca
- 2,056 - Campsis radicans

- Buzzard Roost

- 2,057 - Introductory slide
- 2,058-59 - Approaching the Rock
- 2,060 - The Rock, off Waggoner Ripple Trail
- 2,061 - Edwina & Gard Griffin, on top of Rock
- 2,062 - Trail through shale up from the Rock
- 2,063 - Dolomite cliff vicinity of old tobacco barn
- 2,064 - Gard Griffin, along the way
- 2,065 - Gard Griffin on ridge approaching Rock
- 2,066 - Aster
- 2,067 - Amelanchier arborea, close up

- Cedar Falls

- 2,068 - Anemonella thalictroides
- 2,069 - Viola sagittata
- 2,070-72 - Cedar Falls
- 2,073 - Along gorge
- 2,074-75 - View upstream of Falls
- 2,076 - Along gorge

- 2,077 - Above Falls
- 2,078-79 - Cedar Falls
- 2,080 - Lane

- Cedar Mills

- 2,081 - *Spiranthes vernalis*
- 2,082 - Looking down on tributary stream (Cedar Run)
- 2,083 - *Viola sororia*
- 2,084 - *Hepatica acutiloba*
- 2,085-89 - *Dirca palustris*
- 2,090 - *Houstonia ciliolata*
- 2,091-93 - *Houstonia nigricans*
- 2,094 - Eupatorium, close up
- 2,095-97 - *Euphorbia corollata*
- 2,098-99 - Prairie, *Kuhnia eupatorioides*
- 2,100 - Eupatorium sessilifolium habitat
- 2,101 - Eupatorium sessilifolium
- 2,102 - *Houstonia nigricans*
- 2,103-04 - Looking down into Cedar Run
- 2,105 - *Houstonia nigricans*

- Cedar Fork

- 2,106-08 - *Ophioglossum engelmannii*
- 2,109 - *Verbena simplex*
- 2,110 - Ohio black shale, *Pinus virginiana*
- Chaparral Road

- 2,111-16 - *Verbesina helianthoides*
- 2,117 - *Ipomoea pandurata*
- 2,118-19 - *Hypericum*
- 2,120-21 - *Lobelia spicata*
- 2,122-23 - *Coreopsis major*
- 2,124-25 - *Sassafras albidum*
- 2,126 - *Asclepias tuberosa*
- 2,127-30 - *Bignonia radicans*
- 2,131-32 - *Gemmingia chinensis*
- 2,133-35 - *Stachys tenuifolia* plus bumblebee
- 2,136 - *Hemerocallis fulva*
- 2,137-42 - *Cichorium intybus*
- 2,143-44 - *Andropogon elliotii*
- 2,145 - *Solidago ulmifolia*
- 2,146-48 - Ridge near West Union

- Highway 125

- 2,149 - *Gerardia tenuifolia*
- 2,150 - *Smilax herbacea* in fruit
- 2,151 - *Seymeria macrophylla*
- 2,152 - *Silphium perfoliatum*
- 2,153 - *Clematis viorna*, close up
- 2,154 - *Juglans nigra*
- 2,155 - *Diospyros virginiana*, branch with
leaves and fruit
- 2,156 - *Cardamine douglasii*: note basal leaves
- 2,157 - *Diospyros virginiana* in fruit
- 2,158 - *Rhamnus caroliniana*, fruit
- 2,159 - *Cardamine douglasii*: note basal leaves
- 2,160 - *Aesculus*
- 2,161-62 - *Trillium grandiflorum*
- 2,163 - *Lithospermum*
- 2,164-65 - *Eryngium yuccifolium*
- 2,166 - *Asclepias incarnata*
- 2,167 - *Verbena simplex*
- 2,168 - *Viola sagittata*
- 2,169 - Roadside park
- 2,170-74 - Fall coloring
- 2,175 - *Rhamnus caroliniana* in fruit
- 2,176 - *Aster oblongifolius*, bush
- 2,177-78 - *Aster novae-angliae*
- 2,179 - *Clematis viorna*
- 2,180 - *Cardamine douglasii*: note basal leaves
- 2,181 - *Rhamnus caroliniana* in fruit
- Highway 136
- 2,182-84 - *Nelumbo lutea*
- Highway 247
- 2,185-87 - *Liatris cylindracea*, two stems
- 2,188-89 - *Viola pedatifida*
- 2,190 - *Desmodium*, woods, vicinity of Red Barn
- 2,191-92 - *Dodecatheon meadia*
- 2,193 - *Veronica officinalis*
- 2,194-95 - *Viola pedatifida*
- 2,196-99 - *Dodecatheon meadia*
- 2,200-02 - *Veronica officinalis*
- 2,203 - *Krigia biflora*
- 2,204 - *Hypericum spathulatum*, Prairie
- 2,205 - *Ruellia humilis*, Prairie

- 2,206 - *Cirsium discolor*
- 2,207 - *Scirpus cyperinus*
- 2,208 - *Solidago altissima*
- 2,209 - *Allium cernuum*, close up
- 2,210-12 - *Hypoxis hirsuta*
- 2,213-15 - *Krigia biflora*
- 2,216 - *Erigeron pulchellus*
- 2,217 - *Viola pedatifida*
- 2,218 - *Sisyrinchium albidum*
- 2,219 - *Viola pedatifida*
- 2,220-21 - *Sisyrinchium albidum*
- 2,222-23 - *Rudbeckia speciosa*
- 2,224 - Red Barn
- 2,225-40 - *Silphium terebinthinaceum*
- 2,241-43 - Prairie, mostly *Silphium terebinthinaceum*
- 2,244 - *Liatris cyclindracea*
- 2,245 - Cottage adjacent to Prairie

- Highway 348

- 2,246-47 - *Camassia scilloides* along Ohio Brush Creek
- 2,248-50 - *Nothoscordum bivalve*
- 2,251-56 - *Jeffersonia diphylla*

- Lake Adams

- 2,257 - *Phlox senecio*
- 2,258 - *Erythronium albidum*
- 2,259-61 - *Habenaria lacera*
- 2,262-63 - *Asclepidora viridis* & pod
- 2,264-68 - *Tipularia discolor*
- 2,269 - *Liatris*, single stem
- 2,270-71 - *Liatris*, three stems
- 2,272-74 - *Solidago altissima*
- 2,275-77 - *Quercus marilandica*
- 2,278-81 - Spider
- 2,282 - View of Lake Adams
- 2,283-84 - View; *Solidago nemoralis*
- 2,285 - Prairie ant hill
- 2,286 - Saddle bug
- 2,287 - Looking out road from picnic area

- Logan Lane

- 2,288 - *Phlox pilosa*, close up
- 2,289 - *Lotus corniculatus* (Alien)

- 2,290-91 - *Aquilegia canadensis*
- 2,292 - *Stenanthium gramineum*
- 2,293-94 - *Asclepias tuberosa*
- 2,295 - *Rudbeckia*
- 2,296-97 - *Asclepias purpurascens*
- 2,298-99 - *Centaurea*
- 2,300 - *Centaurea*, single flower
- 2,301-02 - *Centaurea*, close up
- 2,303 - Entrance into woods
- 2,304 - *Iris cristata*
- 2,305-07 - Fungus
- 2,308-14 - *Asclepiodora viridis*
- 2,315 - Monarch larva on *Asclepias tuberosa*
- 2,316 - Old field along Logan Lane
- 2,317 - Swinging bridge
- 2,318 - *Pycnanthemum virginianum*
- 2,319-21 - *Monarda fistulosa*
- 2,322 - *Sassafras albidum*
- 2,323-25 - Summer tanager
- 2,326-27 - *Asclepias verticillata*
- 2,328-29 - Praying mantis
- 2,330 - *Parthenocissus quinquefolia*
- 2,331-35 - Fungus
- 2,336-37 - *Uvularia perfoliata*
- 2,338 - Prairie, Across Ellis Run; *Aster prenanthoides*
- Meigs Township
- 2,339-41 - Along Cedar Fork, vicinity of Prairie Ridge
- 2,342 - *Leavenworthia uniflora*
- 2,343 - *Phlox carolina triflora*
- 2,344 - *Clitoria mariana*
- 2,345 - Vicinity of Old Barn; *Coreopsis tripteris*
- 2,346 - *Helianthus hirsutus*
- 2,347-49 - *Clitoria mariana*
- 2,350 - *Coreopsis major*
- 2,351-53 - *Impatiens pallida*
- 2,354 - *Impatiens capensis*
- 2,355-57 - *Phytolacca americana*
- 2,358 - *Rubus procumbens*
- 2,359 - View
- Oliver Township
- 2,360-62 - *Baptisia lecantha*

2,363-67	-	Dodecatheon meadia
2,368	-	Comandra umbellata
2,369	-	Sisyrinchium albidum
2,370	-	Oenothera fruticosa, close up
2,371-72	-	Baptisia leucantha
2,373	-	Asclepias longifolia
2,374	-	Pycnanthemum
2,375-76	-	Gerardia tenuifolia
2,377	-	Helianthus microcephalus
2,378-79	-	Fungus
2,380-82	-	Quercus stellata
2,383	-	Vaccinium stamineum
2,384-86	-	Quercus marilandica
2,387-88	-	Asclepidora viridis
2,389-93	-	Psoralea psoralioides
2,394-95	-	Houstonia canadensis
2,396	-	Convolvulus sepium
2,397-98	-	Oenothera fruticosa
2,399	-	Rhus glabra
2,400-04	-	Echinacea purpurea
2,405-06	-	Cystopteris bulbifera
2,407-08	-	Delphinium exaltatum
2,409	-	Habenaria peramoena
2,410	-	Lobelia kalmii
2,411	-	Helianthus divaricatus
2,412	-	Echinacea purpurea
2,413	-	Linum virginianum
2,414	-	Neupauers
2,415	-	Habenaria peramoena
	-	<u>Payne's Lane</u>
2,416-19	-	Helianthus hirsutus
2,420-21	-	Prenanthes alba
2,422	-	Ratibida pinnata
2,423	-	Liatris cylindracea
2,424-25	-	Senecio aureus habitat
2,426-29	-	Phlox pilosa
2,430	-	Cornus rugosa
2,431-34	-	Fungi
2,435-37	-	Solidago altissima
2,438-39	-	Liatris cylindracea
2,440-41	-	Aster simplex
2,442	-	Heliopsis helianthoides
2,443	-	Parthenocissus quinquefolia

- Russel Fork
- 2,444 - Phlox pilosa
- 2,445 - Delphinium exaltatum
- 2,446 - Hydrangea arborescens
- 2,447 - Krigia biflora
- 2,448-50 - Phlox carolina var. triflora
- 2,451-55 - Lilium philadelphium var. andinum
- Turkey Creek Road
- 2,456 - Agave virginica, stamens after flowering
- 2,457-58 - Gerardia flava var. macrantha
- 2,459-61 - Delphinium exaltatum
- 2,462 - Castilleja coccinea
- 2,463 - Polygala senega
- 2,464-65 - Castilleja coccinea
- 2,466-67 - Asclepias purpurascens
- 2,468-70 - Agave virginica
- 2,471-73 - Delphinium exaltatum
- Wartzburg Prairie
- 2,474 - Group photo
- 2,475 - Physostegia virginiana var. albiflora
- 2,476 - Aster oblongifolius
- 2,477 - Larva on sassafras
- 2,478-84 - Lilium philadelphicum
- 2,485 - Juglans nigra, nuts
- 2,486 - Agave virginica, staminate & pistillate
- 2,487 - Houstonia nigricans
- 2,488 - Eryngium yuccifolium
- 2,489 - Rosa carolina
- 2,490 - Asclepias verticillata
- 2,491 - Physostegia virginiana var. albiflora
- 2,492-93 - Spiranthes vernalis
- 2,494 - Cecropia larva
- 2,495 - Unidentified
- 2,496 - Houstonia lanceolata
- 2,497-98 - Unidentified
- 2,499 - Phlox carolina var. triflora, group
- 2,500-01 - Asclepias purpurascens
- 2,502 - Road along habitat of Leavenworthia uniflora
- 2,503-08 - Leavenworthia uniflora
- 2,509 - Lycopodium complanatum var. flabelliforme
- 2,510-14 - Asclepias purpurascens

- 2,515 - *Rudbeckia hirsuta*
- Nivale Trail
- 2,516-18 - *Trillium nivale*
- 2,519-20 - *Gerardia flava* var. *macrantha*
- 2,521 - *Parmelia*
- 2,522 - Along the Nivale Trail
- 2,523-27 - *Trillium nivale*
- 2,528 - Entrance to Nivale Trail
- 2,529 - Along Trail, Lucy & Annette
- 2,530 - Cedar Fork below Prairie Ridge
- 2,531-33 - Dolomite along Cedar Fork
- 2,534 - *Young Arbor vitae* along trail
- 2,535-38 - *Micheliella verticillata*
- 2,539-40 - *Gentiana quinquefolia* var. *occidentalis*
- 2,541-42 - Vicinity of Prairie Ridge along Cedar Fork
- 2,543 - *Andropogon scoparius*
- 2,544 - *Quercus coccinea*, *Quercus rubra*
- 2,545 - *Corylus americana*
- 2,546 - *Eupatorioides*
- 2,547-48 - *Asclepias verticillata*
- 2,549 - Plum Run Quarry, dump
- 2,550 - Prairie Ridge
- 2,551-52 - *Cunila organoides*
- 2,553-54 - *Solidago caesia*
- 2,555 - Moss
- 2,556 - Along Trail
- 2,557 - *Climacium americanum*
- 2,558-60 - *Trillium nivale*
- 2,561-62 - *Rhodobryum roseum*
- 2,563-66 - Lichens
- 2,567-68 - *Viola hirsutula*
- 2,569 - Dolomite outcrop
- 2,570-78 - *Hepatica acutiloba*
- 2,579-87 - Vicinity of Plum Run, views
- 2,588-92 - Plum Run Quarry & Dump
- 2,593 - Dogwood fruit
- 2,594 - Seeds of *Cornus florida*
- 2,595 - Autumn along Trail
- 2,596 - Fungi
- 2,597-98 - *Aquilegia canadensis*
- Wilderness Area
- 2,599 - *Senecio aureus*

2,600	-	<i>Eupatorium sessilifolium</i>
2,601-03	-	<i>Sorgastrum nutans</i>
2,604-05	-	<i>Aster phlogifolius</i>
2,606-10	-	<i>Hybanthus concolor</i>
2,611	-	<i>Malaxis unifolia</i>
2,612	-	<i>Aristolochia serpentaria</i>
2,613	-	View of Ohio Brush Creek Valley
2,614	-	Charley Eulett
2,615	-	<i>Cornus florida</i> along the way
2,616	-	Pachystima Knob
2,617-18	-	<i>Pachystima canbyi</i>
2,619	-	<i>Viola rostrata</i>
2,620	-	View looking down on Ohio Brush Creek Valley
2,621	-	<i>Aquilegia canadensis</i> just visited by Hummingbird, along the way
2,622	-	Vicinity of Pachystima Knob
2,623	-	<i>Oxalis grandis</i>
2,624	-	<i>Arenaria stricta</i>
2,625	-	<i>Quercus muehlenbergii</i> on Knob
2,626	-	Arbor vitae
2,627	-	Along the Trail, Bill Jone's place
2,628	-	<i>Acer saccharum</i> ; <i>cornus florida</i>
2,629-30	-	<i>Ptelea trifoliata</i>
2,631-32	-	<i>Prunus americana</i>
2,633	-	Lucy & Annette on Trail
2,634	-	<i>Cercis canadensis</i> twig
2,635	-	Charley Eulett
2,636-37	-	<i>Cornus florida</i>
2,638	-	<i>Obolaria virginica</i>
2,639-42	-	<i>Pachystima canbyi</i>
2,643	-	Looking toward Pachystima Knob
2,644	-	Dr. Lucy in path; Arbor vitae
2,645	-	Woodland scene with <i>Amelanchier canadensis</i> in background
2,646	-	Along Trail through Arbor vitae
2,647-48	-	<i>Dentaria laciniata</i>
2,649	-	Along the way north of Lynx
2,650	-	<i>Mitella diphylla</i>
2,651	-	Stream north of Lynx
2,652	-	View overlooking Ohio Brush Creek Valley north of Lynx
2,653	-	Arbor vitae on dolomite knob north of Lynx
2,654-55	-	Prairie covered knob north of Lynx
2,656	-	Young Arbor vitae
2,657-58	-	Dolomitic overhang north of Lynx

- 2,659-60 - Annette [Braun] along trail north of Lynx
- 2,661 - Along trail north Lynx, Arbor vitae
- 2,662 - Overhang on Trail north of Lynx
- 2,663-66 - Along Trail north of Lynx
- 2,667-69 - Polypodium polypodioides
- 2,670 - Arbor-vitae north of Lynx
- 2,671 - Prairie knob north of Lynx
- 2,672 - Along the way north of Lynx
- 2,673 - Viola palmata
- 2,674-75 - View along the way looking south from north of Lynx

- Pike County

- Pike Lake I.

- V. 2,676 - Wild Cat Hollow at RedBud time
- 2,677-78 - Lilium superbum
- 2,679 - Wild Cat Hollow at RedBud time
- 2,680 - Stream ?
- 2,681-82 - Prunus americana
- 2,683-84 - Dentaria heterophylla
- 2,685 - Phlox divaricata
- 2,686-87 - Viola pensylvania
- 2,688-95 - Aplectrum hyemale
- 2,696-97 - Silene virginica
- 2,698 - Uvularia perfoliata
- 2,699 - Along stream flat, Arisaema dracontium
- 2,700 - Valeriana pauciflora along stream flat

- Pike Lake II.

- 2,701 - Park headquarters
- 2,702 - Park garage, old walnut in foreground, yellow tulip in background
- 2,703 - Lilium superbum
- 2,704 - Silene stellata
- 2,705-07 - Echinacea purpurea
- 2,708 - Vicinity of roadside park; Asplenium platyneuron
- 2,709-10 - Lobelia spicata growing in poison ivy
- 2,711-12 - Sabatia angularis off Highway 124
- 2,713 - Along Lake border
- 2,714 - Clematis viorna, blossoms
- 2,715-19 - Phlox paniculata
- 2,720-24 - Along road entering Lake area

- 2,725 - Road; Egyptian Hollow
- Pike Lake III.
- 2,726 - Hillside along Lake
- 2,727-28 - Lake and bordering hills
- 2,729-30 - Marker for unknown Union soldier
- 2,731 - Planted pines showing understory of maples
- 2,732 - Along Trail
- 2,733 - Road leaving Lake
- 2,734 - Fire tower; Fall coloring
- 2,735-38 - Fall coloring
- 2,739 - *Andropogon virginicus* ?
- 2,740 - *Euonymus atropurpureus*
- 2,741-42 - Fodder in the shock
- 2,743 - *Acer saccharum* under pines
- 2,744 - *Carya tomentosa* ?
- 2,745-46 - Vicinity of Pike Lake; Old Inn
- 2,747 - Along Trail
- 2,748 - Lucy; old Chestnut stump
- 2,749 - *Magnolia macrophylla* blossom
- 2,750-51 - *Viola rostrata*; *Viola striata* var. *braunii*
- 2,752-53 - Along Lake border
- Brown County
- 2,754 - Field of *Bidens*
- 2,755 - *Euonomus atropurpureus*
- 2,756-58 - *Sabatia angularis* var. *albiflora*
- 2,759 - Fall coloring, eastern Brown County
along U.S. Highway 50
- 2,760-64 - *Sorbaria sorbifolia*
- 2,765-73 - *Gerardia purpurea*
- 2,774 - Vicinity of Lake Grant
- 2,775 - Autumn scene
- 2,776-78 - *Pedicularis lanceolata*
- 2,779-80 - *Cassia fasciculata*
- 2,781-84 - Strait Creek & bridge, Highway 125
- 2,785 - *Juncus*
- 2,786 - *Juncus*, plus *Asclepias longifolia*
- 2,787-80 - *Asclepias longifolia*
- 2,801 - Sunset, Highway 125
- 2,802-03 - Fall coloring
- 2,804-06 - *Aster pilosus* var. *demotus*
- 2,807-09 - Lake Grant
- 2,810-13 - *Gentiana andrewsii*

- 2,814-15 - *Bidens en masse*
- 2,816 - Scene across Lake Grant
- 2,817-19 - *Lippia lanceolata*
- 2,820-34 - *Gentiana andrewsii*
- 2,835 - Pine seedlings
- 2,836-37 - *Sagittaria latifolia*
- 2,838-39 - *Aster novae-angliae*
- 2,840 - *Spiranthes vernalis*
- 2,841 - *Cassia marilandica*
- 2,842 - *Helenium autumnale*
- 2,843 - *Dianthus armeria*
- 2,844 - *Hydrophyllum canadense*
- 2,845 - *Achillea millefolium*
- 2,846 - *Penstemon hirsutus*
- 2,847 - *Asclepias longifolia* pods

- Jackson County

- 2,848-49 - *Phlox stolonifera*
- 2,850 - *Uvularia perfoliata*
- 2,851 - *Viola blanda*
- 2,852 - *Viola sagittata*
- 2,853-55 - *Osmunda cinnamomea*
- 2,856 - *Osmunda regalis*
- 2,857-60 - *Cypripedium acaule*
- 2,861-69 - *Magnolia macrophylla*
- 2,870 - Sandstone cliff
- 2,871 - *Polygonatum biflorum*
- 2,872 - Sandstone cliff
- 2,873 - *Chamaelirium luteum*
- 2,874 - Along highway 125 showing cliffs
with forest cover

- Highland County

- 2,875-77 - *Amelanchier canadensis* on dolomite
- 2,878-79 - *Hibiscus trionum*
- 2,880-81 - *Helianthus maximiliani*
- 2,882 - Wild Rocket (*Iodanthus pinnatifidus*)

- Cleremont County, Stonelick Lake

- 2,883-87 - *Pedicularis lanceolata*
- 2,888-89 - Lake area
- 2,890-91 - Lake area, pines
- 2,892 - Fall coloring, *Sassafras albidum*

- 2,893-95 - Fall coloring, *Nyssa sylvatica*
- 2,896-97 - Pringle's Orchard, Red Delicious apples
- 2,898-90 - Fall coloring

- Oak Openings

- 2,901-02 - Museum Field Trip
- 2,903 - *Erythronium americanum*
- 2,904 - *Asarum canadense* (Wild-ginger)
- 2,905 - *Liparis lilifolia*
- 2,906-14 - Misc. plants & views, unidentified

- Scioto County

- Shawnee

- 2,915-18 - Roosevelt Lake, fall coloring
- 2,919-21 - *Spiranthes cernua*
- 2,922-23 - Shawnee Dam
- 2,924-26 - *Phlox pilosa*
- 2,927-32 - *Micheliella verticillata*
- 2,933 - Annette, Lucy & Louise
- 2,934 - *Mitella diphylla*
- 2,935-36 - *Chamaelirium luteum*
- 2,937-39 - *Virburnum acerifolium*
- 2,940 - *Tiarella cordifolia*
- 2,941 - *Phlox carolina* var. *triflora*
- 2,942-43 - Mountain-laurel along Turkey Creek
- 2,944-49 - Along Turkey Creek
- 2,950 - *Senecio aureus* along Turkey Creek
- 2,951 - Young hemlocks along nature trail
- 2,953 - *Viburnum prunifolium*
- 2,954 - *Vitis*
- 2,955 - *Polystichum acrostichoides*
- 2,956 - *Hamamelis virginiana*
- 2,957 - Beech & Hemlock
- 2,958 - *Pedicularis canadensis*
- 2,959 - *Chamaelirium luteum*
- 2,960-61 - *Tiarella cordifolia*
- 2,962-63 - *Conopholis americana*
- 2,964 - *Arisaema atrorubens*
- 2,965-66 - *Liquidambar styraciflua*
- 2,967-68 - Along the trail
- 2,969 - *Pedicularis canadensis*
- 2,970 - Lichen
- 2,971 - Upper Twin Creek

2,972	-	Early spring along Upper Twin Creek
2,973	-	Decomposition of tree stumps
2,974	-	Roadway through the pines
2,975-76	-	Early spring, note Mountain Laurel
2,977	-	Fungus
2,978	-	Christmas Fern
2,979	-	Lichens
2,980-81	-	Aster
2,982-87	-	<i>Micheliella verticillata</i>
2,988	-	<i>Viola</i>
2,989	-	<i>Osmunda claytoniana</i>
2,990	-	<i>Magnolia tripetala</i>
2,991	-	<i>Dryopteris marginalis</i>
2,992	-	<i>Magnolia tripetala</i>
2,993	-	<i>Potentilla canadensis</i>
2,994	-	<i>Krigia virginica</i>
2,995	-	<i>Polygonatum commutatum</i>
2,996-99	-	<i>Aplectrum hyemale</i>
3,000-02	-	<i>Scutellaria epilobiifolia</i>
3,003	-	<i>Scutellaria pilosa</i>
3,004	-	<i>Monarda clinopodia</i>
3,005	-	<i>Dryopteris goldiana</i> ; <i>Athyrium</i> <i>thelypteroides</i>
3,006-07	-	<i>Mitchella repens</i> fruit
3,008	-	Trail and down hill
3,009-10	-	<i>Sanguinaria canadensis</i>
3,011-12	-	<i>Dentaria diphylla</i>
3,013	-	<i>Claytonia virginica</i>
3,014	-	<i>Urnula craterium</i>
3,015	-	<i>Erythronium</i>
3,016-19	-	<i>Pyrus coronaria</i>
3,020-21	-	<i>Stellaria pubera</i>
3,022	-	Rostratum slope; <i>Gernanium maculatum</i>
3,023-25	-	Rostratum slope; <i>Dirca palustris</i>
3,026-29	-	<i>Valeriana pauciflora</i>
3,030-31	-	<i>Silene virginica</i>
3,032	-	<i>Krigia biflora</i>
3,033	-	<i>Polygonatum canaliculatum</i>
3,034-35	-	<i>Arisaema dracontium</i>
3,036-40	-	<i>Erythronium rostratum</i>
3,041	-	<i>Erythronium americanum</i>
3,042	-	<i>Epigaea repens</i>
3,043-44	-	<i>Betula nigra</i>
3,045	-	<i>Urnula craeterium</i>
3,046-47	-	Mostly dogwood
3,048	-	<i>Polemonium reptans</i>

- 3,049 - Fungus
- 3,050 - Caulophyllum thalictroides: Berberidaceae
- 3,051 - Rostratum slope, Trillium grandiflorum
- 3,052 - Potentilla canadensis
- 3,053-55 - Hydrastis canadensis
- 3,056 - Arisaema dracontium, close up
- 3,057-59 - Dioscorea villosa staminate
- 3,060-63 - Dioscorea villosa pistillate
- 3,064 - Achillea millefolium
- 3,065 - Echinacea purpurea
- 3,066 - Monarda didyma
- 3,067 - Rocky Fork Baptist Church
- 3,068-69 - Old House at intersection of Highway 125
and Rokey Fork

- Shawnee June

- 3,070-73 - Tephrosia virginiana
- 3,074-75 - Hydrangea arborescens
- 3,076 - Lilium canadense
- 3,077-81 - Asclepias variegata
- 3,082 - Dryopteris spinulosa
- 3,083 - Houstonia canadensis
- 3,084 - Churn Creek Church, 1971
- 3,085-86 - Asclepias exaltata along Aruncus Trail

- Shawnee July

- 3,087-88 - Asclepias variegata
- 3,089-92 - Nymphaea odorata
- 3,093-96 - Goodyera pubescens
- 3,097-99 - Fungi
- 3,100 - Astragalus canadensis
- 3,101 - Astragalus carolinianus
- 3,102-03 - Staphylea trifoliae
- 3,104 - Phlox maculata
- 3,105-07 - Oxydendrum arboreum
- 3,108 - Lilium canadense
- 3,109-11 - Hobey Creek
- 3,112 - Solidago juncea
- 3,113 - Monarda fistulosa
- 3,114 - Monarda didyma
- 3,115-17 - Lilium canadense
- 3,118-19 - Polygonatum biflorum
- 3,120-21 - Phegopteris hexagonoptera
- 3,122-24 - Fungus

- 3,125-27 - *Thalictrum polygamum*
- 3,128 - *Dryopteris goldiana*
- 3,129 - *Lilium canadense*
- 3,130-34 - *Desmodium nudiflorum*
- 3,135 - New York ferns
- 3,136-37 - *Lilium philadelphicum*
- 3,138-40 - Upper Twin
- 3,141 - *Oxydendrum arboreum* blossoms
- 3,142-43 - *Dioscorea villosa* seed
- 3,144 - *Angelica venenosa*
- 3,145 - *Seriocarpus asteroides*
- 3,146 - Fungus
- 3,147-49 - *Asclepias purpurascens*
- 3,150-51 - *Athyrium thelypteroides*
- 3,152-53 - *Asclepias variegata*
- 3,154-57 - *Thelypteris noveboracensis*
- 3,158 - *Cichorium intybus*
- 3,159-60 - *Osmunda claytoniana*
- 3,161-63 - *Lilium philadelphicum*
- 3,164 - Ferns
- 3,165 - *Athyrium filix femina*
- 3,166-67 - *Angelica venenosa*
- 3,168 - *Pteridium aquilinum*
- 3,169-70 - Basket maker
- 3,171-72 - *Ratibida pinnata*
- 3,173 - *Osmunda cinnamomea*
- 3,174 - *Silphium trifoliatum*

- August

- 3,175-95 - *Habenaria ciliaris*
- 3,196-99 - *Habenaria clavellata*
- 3,200-04 - *Lilium canadense*
- 3,205 - *Rudbeckia fulgida* ?
- 3,206 - *Osmunda regalis*
- 3,207 - Upper Twin

- September/October

- 3,208-09 - *Echinacea purpurea*
- 3,210 - Fungi ?
- 3,211 - *Thelypteris noveboracensis*
- 3,212 - *Gaultheria procumbens* with partridge-berry
- 3,213 - *Eupatorium maculatum*
- 3,214-18 - *Stenanthium robustum*
- 3,219 - *Osmunda regalis*

- 3,220 - Goodyera pubescens, group in bud
- 3,221 - Spiranthes vernalis
- 3,222 - Houstonia canadensis
- 3,223-27 - Habenaria clavellata
- 3,228 - Asclepias floridana
- 3,229 - Lobelia cardinalis
- 3,230-31 - Onoclea sensibilis
- 3,232-34 - Apios americana
- 3,235 - Vaccinium stamineum
- 3,236 - Solidago rigida
- 3,237-38 - Disporum fruit
- 3,239 - Gentiana villosa along Bear Lake
- 3,240-42 - Aster linariifloius
- 3,243 - Polystichum acrostichoides
- 3,244 - Aster novae-angliae
- 3,245 - Ampelopsis cordata plus Eric
- 3,246 - Hamamelis virginiana
- 3,247-50 - Fall coloring at Bear Lake
- 3,251 - Western edge of Scioto County
along Highway 125

- Hibiscus palustris

- 3,252-65 - Hibiscus palustris

- Spruce Run

- 3,266-67 - Gaultheria procumbens fruit
- 3,268-70 - Potentilla canadensis
- 3,271 - Ceanothus americanus
- 3,272-85 - Isotria verticillata
- 3,286-07 - Cypripedium acaule (albino)

- Shawnee

- 3,308-11 - Lonicera sempervirens
- 3,312-17 - Viola pedata biflora
- 3,318-22 - View from Copperhead Fire Tower
- 3,323 - Bascomycetes rosea
- 3,324 - Athyrium filix-femina
- 3,325 - Krigia biflora
- 3,326 - Micheliella verticillata habitat
- 3,327-28 - Rhododendron roseum
- 3,329 - Senecio aureus
- 3,330 - Oxalis violacea
- 3,331-32 - Uvularia perfoliata

	3,333	-	Houstonia caerulea
	3,334-35	-	Viola cucullata
		-	<u>Archaeology</u>
		-	<u>Angel Site</u>
VI.	3,336	-	Approaching camp from Mound A
	3,337	-	Flag
	3,338	-	Mound A
	3,339	-	Mound E
	3,340-42	-	Fireplace
	3,343-55	-	Misc. Angel Site views
	3,356	-	Fireplace
	3,357-65	-	Misc. Angel Site views
	3,366	-	Smitty trowelling
	3,367-70	-	Misc. Angel Site views
	3,371	-	Entrance
	3,372-73	-	Misc. Angel Site views
	3,374-75	-	Fireplace
	3,376	-	Looking toward Mound A
	3,377	-	Mound A
	3,378-83	-	Misc. Angel Site views
	3,385	-	Flag
	3,386	-	Model Plan
	3,387	-	Misc. Angel Site view
	3,389	-	Glenn A. Black, Archaeologist
	3,390-99	-	Misc. Angel Site views
	3,400	-	House pattern showing fireplace
	3,401	-	Approaching camp from Mound A
	3,402-05	-	Mound A
		-	<u>Yankeetown</u>
	3,406-10	-	Yankeetown & Ohio River
		-	<u>Crib Shell Mound</u>
	3,411-18	-	Views of Crib Shell Mound
		-	<u>Mound City</u>
	3,419-32	-	Views of Mound City Group
		-	<u>Circleville</u>

- 3,433-35 - Views of Circleview Mound excavation
- Seip Mound
- 3,436-42 - Views of Seip Mound, Ohio
- Lewis Stone Mound
- 3,443 - Copper beads
- 3,444 - Central burial area
- 3,445-46 - Copper beads
- 3,447-48 - Burial mass, central area
- 3,449-50 - Copper beads
- 3,451 - Stone serpent tablets
- 3,452 - Spiro shell gorget
- 3,453-54 - Misc.
- Turpin Site
- 3,455 - Topographical map, showing location of site
- 3,456-57 - Beginning excavation, 1946
- 3,458 - House pattern exposed near Turpin House
- 3,459 - Scraping house floor
- 3,460 - Paired post holes
- 3,461 - Fired area next to Turpin House
- 3,462 - Excavating
- 3,463-66 - Burials near Turpin House
- 3,467 - Turpin House
- 3,468 - Piles of bones found near surface
- 3,469 - Turpin House
- 3,470 - Mound profile toward House
- 3,471 - Mound in process of excavation
- 3,472 - Vertical profile showing old village level
- 3,473 - Excavating under House
- 3,474-76 - Extended burial
- 3,477 - Flexed burial
- 3,478 - Rabbit effigy pipe
- 3,479 - Stone pipes
- 3,480-82 - Human effigy pipe
- 3,483 - Partial burial, showing placement of feet on limestone boulder
- 3,484 - Working in burial pattern area
- 3,485-92 - Burials in burial pattern, misc. views
- 3,493 - Beaming tools
- 3,494 - Animal teeth
- 3,495 - Concentration of small rocks

3,496-98	-	Large pit in old village
3,499	-	Cleaning out fireplace
3,500	-	Old village floor
3,501	-	House daub
3,502	-	Old village house pattern
3,503	-	House, model
3,504	-	Abrading stones
3,505	-	Tally stone
3,506	-	Stone objects: broken stone spade, crude limestone spade
3,507	-	Chipped stone disks
3,508	-	Discoidals
3,509	-	Expanded center stones
3,510	-	Workers
3,511	-	Stones
3,512-14	-	Mound burial of pregnant female
3,515-17	-	Burials
3,518-19	-	Views of balks
3,520	-	Stones
3,521-24	-	Shell artifacts
3,525-27	-	Flint artifacts
3,528	-	Pottery disks
3,529	-	Typical Woodland pottery
3,530	-	Fort Ancient type vessel
3,531	-	Cremation near top of Mound. Ear spool put in with mound fill
3,532	-	Stone
3,533	-	Child burial
3,534	-	Close up of arrow maker's tools
3,535	-	Burial
3,536	-	Tally stone
3,537-38	-	Mound
3,539	-	Stone gorgets
3,540	-	Stone pestles or corn grinders
3,541	-	Stone celts and chisels
3,542	-	Groove Axes, Stone Mound
3,543	-	Fling artifact
3,544-45	-	Extended burial
3,546	-	Flexed burial
3,547	-	Bone effigy pin fragment
3,548	-	Bone effigy hair fragment
3,549	-	Bone gorgets
3,550	-	Bone ear spools
3,551	-	Bird bone flute
3,552	-	Bone awls
3,553	-	Burials in burial pattern

- 3,554 - Bone fish hooks, finished and unfinished
- 3,555 - Bone awls
- 3,556 - Bone tinklers
- 3,557 - Bracelet, Eagle claws
- 3,558 - Mound profile, toward Highway 74
- 3,559-60 - Mound in process of excavation
- 3,561 - Mound showing exposed burials
- 3,562 - Extended burial
- 3,563 - Floor plan

- Sayler Park Mound

- 3,564-85 - Misc. views of Mound, excavation, artifacts, etc.
- Hamilton County, Fort Miami Mound

- Fort Ancient

- 3,587-634 - Misc. views of Fort Ancient
- Mounds and Earthworks

- Serpent Mound

- 3,635-41 - Misc. views of Serpent Mound

- Miamisburg Mound

- 3,642-46 - Misc. views of Miamisburg Mound

- Misc. Ohio Mounds

- 3,647-48 - Mound off Kemper Road
- 3,649-50 - Kilvert Mound
- 3,651-52 - Neville Mound
- 3,653 - Mound off U.S. 52
- 3,654 - Stone bear from Merom, Indiana

- Big Bone Lick, KY

- 3,655-60 - General views
- 3,661-62 - Big Salt Springs
- 3,663 - Calcareous clayey slit deposited
by waters during glacial time,
gravel layer over bone horizon
- 3,664 - Close up of above (#3,663)
- 3,665 - Between excavated areas
- 3,666 - View across Big Bone

- 3,667 - Looking up stream from excavations
- 3,668 - Sycamore Stump Gum Springs contain sulphur, iodine, magnesium, & iron
- 3,669 - Close up of Saline Spring
- 3,670-01 - Property leased from Wood Miller
- 3,672-73 - Looking downstream from excavation
- 3,674 - Big Bone area opposite Big Spring
- 3,675-89 - Misc. views of Big Bone Lick

- The Maya

- 3,690 - Flying over the Yucatan jungle
- 3,691-93 - Chichen Itza
- 3,694 - En route to Merida, above the clouds
- 3,695-712 - Merida, Yucatan
- 3,713 - En route from Merida to Dzibilchaltun
- 3,714-29 - Dzibilchaltun, Yucatan
- 3,730-32 - Flying over Yucatan jungle
- 3,733-58 - Tulum, Yucatan
- 3,759 - Flying over Yucatan jungle
- 3,760-63 - Yucatan
- 3,764-97 - Uxmal, Yucatan
- 3,798-869 - Yucatan, unidentified
- 3,870-95 - Chichen Itza, Yucatan
- 3,896-99 - Yucatan, unidentified
- 3,900-03 - Tikal, Guatemala
- 3,904-09 - Guatemala City, Guatemala
- 3,910-43 - Guatemala
- 3,944 - Antigua, Guatemala
- 3,945-041 - Chichicastenango, Guatemala
- 4,042-45 - Guatemala
- 4,046-66 - Tikal, Guatemala
- 4,067-69 - Island City of Flores in Lake Peten Itza, Guatemala
- 4,070-129 - Guatemala, unidentified

- Great Smoky Mountains

- VII. 4,130-32 - En route to Great Smokies
- 4,133-35 - McGargue's Mill, Levi Jackson State Park, Kentucky
- 4,136-44 - Magnolia macrophylla of Jellico

4,145-47	-	En route
4,148	-	Water falls, Clear Fork, Tennessee
4,149-51	-	South of Jellico, break in Cumberland Mountains
4,152-53	-	Mount LeConte
4,154-58	-	Old Mill, Pigeon Forge
4,159-60	-	Cottage, Smoky Heights Resort
	-	Gregory Bald
4,161-73	-	Azalea bushes
4,174-79	-	Rhododendron calendulaceum
4,180-200	-	Views of Gregory Bald
4,201-16	-	Rhododendron calendulaceum
4,217-19	-	Azalea bushes
4,220-32	-	Along trail to Silers Bald
4,233	-	Betula lutea, Viburnum alnifolium
4,234	-	Thalictrum polygamum
4,235	-	Houstonia caerulea
4,236	-	Vaccinium erythrocarpum
4,237	-	Fungi
4,238-39	-	Viola incognita
4,240-44	-	Clintonia borealis
	-	<u>Andrews Bald</u>
4,245-47	-	Azalea (apricot) bush
4,248	-	Osmunda cinnamomea
4,249-54	-	Along trail to Andrews Bald
4,255-60	-	View from Andrews Bald
4,261-62	-	Sign post
4,263	-	Viola incognita
4,264	-	Clintonia borealis
4,265	-	Saxifraga michauxii
4,266	-	Diervilla sessilifolia
4,267-68	-	Old mossy log along trail
4,269	-	Vaccinium erythrocarpum
4,270	-	Rhododendron calendulaceum
4,271-72	-	Viburnum cassinoides
4,273	-	Potentilla canadensis
4,274-75	-	Smilacina racemosa
4,276	-	Drosera rotundifolia
4,277	-	Amelanchier in fruit
4,278-80	-	Habenaria psycodes var. grandiflora
4,281	-	Vaccinium erythrocarpum

- Alum Cave Trail
- 4,282-85 - Trail to Alum Cave
- 4,286 - Viburnum cassinoides
- 4,287 - Tsuga canadensis
- 4,288 - Rubus
- 4,289 - Vaccinium
- 4,290-93 - Alum Cave
- 4,294-300 - Kalmia latifolia
- 4,301 - Trail through Heath Bald
- LeConte area
- 4,302 - View from Heath Bald
- 4,303-09 - Mountain view
- 4,310 - Entering Heath Bald
- 4,311-17 - Alum Cave Bluffs
- 4,318 - Rhododendron carolinianum
- 4,319-20 - Rhododendron minus
- 4,321 - Hydrangea arborescens
- 4,322-26 - Along trail
- 4,327 - Saxifraga michauxii
- 4,328 - Mountain stream
- 4,329 - Leiophyllum buxifolium
- 4,330 - Top of LeConte, cottage
- 4,331 - Cottages, Rhododendron carolinianum
- 4,332-33 - Viburnum cassinoides
- 4,334-37 - Rhododendron carolinianum
- 4,338 - Sign post
- 4,339-53 - Trail to Alum Cave
- 4,354-56 - Kalmia latifolia
- 4,357 - View from Heath Bald
- 4,358-62 - Alum Cave Creek
- 4,363 - Acer spicatum
- 4,364 - Vaccinium
- 4,365 - Leiophyllum buxifolium
- Sunrise
- 4,366-77 - Sunrises in the Smokies, misc.
- Sunsets
- 4,378-84 - Sunsets in the Smokies, misc.
- Sunset Point

- VII. 4,385 - Path to bluff at Sunset Point
4,386-91 - View from Sunset Point
4,392 - *Leiophyllum buxifolium*
- Clingman's Dome
- 4,393-94 - Sign post
4,395 - At Clingman's Dome
4,396 - *Dryopteris spinulosa* var. *americana*
4,397-98 - *Abies fraseri*, new growth after fire
- 4,399 - Clingman's Overlook sign
4,400-08 - View at and from Clingman's Overlook
4,409 - *Stachys clingmanii*, type locality
4,410-12 - *Clintonia borealis*
4,413 - *Vaccinium oycoccos*
- Farney Ridge
- 4,414-20 - *Habenaria psycodes* var. *grandiflora*
4,421-22 - *Dryopteris spinulosa* var. *americana*
4,423 - *Senecio smallii*
4,424 - *Krigia biflora*
4,425 - *Ranunculus hispidus*
4,426 - *Trautvetteria caroliniensis*
4,427 - *Saxifraga michauxii*
4,428-29 - View from Farney Ridge parking area
- Views
- 4,430-31 - Vicinity of Townsend, note *Cornus florida*
4,432-33 - Morton Overlook
4,434-43 - Mahony Point
4,444 - Big Locust Trail
4,445 - Along trail to Ramsey Cascades
- Highway 441
- 4,446-52 - *Kalmia latifolia*
4,453 - *Viola canadensis*
4,454 - Loop
4,455 - Overpass
- Walker Cove

- 4,456 - Large magnolia along trail to Walker Cove
- 4,457 - View of Walker Cove
- 4,458-61 - Walker Home
- 4,462 - *Asclepias variegata*
- 4,463-64 - Little Greenbriar School
- 4,465 - Cemetery
- 4,466-69 - Along Roaring Fork

- Laurel Falls & Laurel Creek

- 4,470-71 - Sign post for Laurel Falls
- 4,472-75 - Laurel Falls
- 4,476-80 - Along the trail to Laurel Falls
- 4,481-84 - *Rhododendron maximum*
- 4,485-87 - Laurel Creek
- 4,488-93 - *Trillium erectum*
- 4,494 - *Amelanchier*
- 4,495 - *Gaultheria procumbens*
- 4,496 - *Sericocarpus asteroides*
- 4,497-98 - *Sericocarpus linifolius*

4,499-501 - *Krigia biflora*

- 4,502 - *Pyrularia pubera*
- 4,503 - *Kalmia latifolia*
- 4,504 - *Tephrosia spicata*
- 4,505-08 - *Chimaphila maculata*
- 4,509 - *Mitchella repens*
- 4,510-13 - *Stewartia ovata*
- 4,514 - *Ilex opaca*
- 4,515 - *Rubus odoratus*
- 4,516-19 - *Trillium luteum*
- 4,520 - *Dicentra eximia*
- 4,521-22 - *Orobanche uniflora*
- 4,523-32 - Misc. views

- Pioneer Farmstead

4,533-55 - Misc. views of Pioneer Farmstead

- Spruce-Fir Nature Trail

- 4,556 - *Acer spicatum*, entrance to trail
- 4,557-58 - *Picea rubens*
- 4,559-63 - Along the trail, Spruce and Fir
- 4,564-65 - *Betula lutea*
- 4,566-69 - *Oxalis montana*

- Along Highway 441
- 4,570-85 - Kalmia latifolia
- 4,586-88 - Scene, Spruce and Fir
- 4,589-91 - Dennstaedtia punctilobula
- 4,592-96 - Tilted & Chimney rocks
- 4,597 - Tsuga canadensis & Picea rubens
- 4,598-601 - Along the parkway
- 4,602 - Oxydendron in bloom
- 4,603-07 - Picea rubens
- 4,608 - Smilax herbacea
- 4,609-10 - Aristolochia durior
- 4,611-12 - Halesia carolina
- 4,613 - Calycanthus floridus
- 4,614-16 - Phacelia fimbriata
- 4,617 - Magnolia fraseri
- 4,618 - ? [unidentified]
- Abrams Falls
-
- 4,619 - Signpost
- 4,620-25 - Along trail to Abrams Falls
- 4,626-31 - Abrams Falls
- 4,632-37 - Trillium
- 4,638 - Tree trunk with Lichens
- 4,639 - Fungi
- 4,640-42 - Polygala paucifolia
- 4,643-44 - Chimaphila maculata
- 4,645-47 - Pogonia divaricata
- 4,648 - Aletris farinosa
- 4,649 - Vitis
- 4,650 - Stellaria pubera
- 4,651 - Dicentra eximia
- 4,652 - Erythronium americanum
- Cades Cove & Cades Cove Vista Trail
- 4,653-75 - Views of Cades Cove, & along Vista Trail
- 4,676 - Aquilegia canadensis; Phacelia bipinnatifida; Geranium maculatum
- 4,677 - Along Big Poplar Trail
- 4,678 - Lycopodium
- 4,679 - Habitat scene on Andrews Bald
- 4,680 - Potentilla canadensis; Cinquefoil
- 4,681 - Polystichum acrostichoides
- 4,682 - Iris cristata

- 4,683-86 - *Stewartia*
- Charlie's Bunion
- 4,687 - Sign to Charlie's Bunion
- 4,688-93 - Views of Charlie's Bunion
- 4,694-700 - Along trail to Charlie's Bunion
- 4,701-13 - View from Charlie's Bunion
- 4,714-20 - Along trail from Charlie's Bunion
- 4,721-24 - *Betula lutea*
- 4,725 - *Dryopteris spinulosa*
- 4,726-27 - *Lycopodium*
- 4,728-29 - *Oxalis montana*
- 4,730-31 - *Medeola virginiana*
- 4,732 - *Saxifraga*
- 4,733 - *Leiophyllum buxifolium*
- 4,734-35 - *Rhododendron carolinianum*
- 4,736 - *Menziesia pilosa*
- 4,737 - *Veratrum viride*
- 4,738 - *Viburnum cassinoides*
- 4,739 - *Vaccinium stamineum*
- Newfound Gap
- 4,740-48 - Views of Newfound Gap
- 4,749-50 - Views from Newfound Gap
- 4,751 - *Rhododendron calendulaceum*
- 4,752 - Mountain stream
- 4,753-56 - *Azalea*, *Rhododendron*
- 4,757-58 - *Asarum arifolium*
- 4,759 - *Ranunculus hispidus*
- Smoky Mountains, general
- 4,760-63 - Along Little Pigeon River
- 4,764-67 - Views along Little River
- 4,768 - *Ceanothus americanus*
- 4,769 - *Clethra acuminata*
- 4,770-71 - Along Little River
- 4,772 - Meigs Falls, Little River
- 4,773 - Little River Gorge
- 4,774 - *Clethra acuminata*
- 4,775-76 - Black bear
- 4,777 - *Fagus*
- 4,778-80 - Beech trees after May freeze
- 4,781-85 - Andrews Bald habitat

- 4,786 - Rhododendron calendulaceum,
bushes in bloom
- 4,787-89 - Woodwardia areolata
- 4,790-91 - Viburnum cassinoides
- 4,792 - Kalmia latifolia
- 4,793 - Galax aphylla
- 4,794-96 - Cherokee Orchard via Rainbow Falls
- 4,797 - Orchis spectabilis
- 4,798-804 - Cymophyllus fraseri
- 4,805-10 - Clintonia umbellulata
- 4,811-12 - Magnolia fraseri
- 4,813-15 - Halesia carolina
- 4,816-17 - Phlox stolonifera
- 4,818-19 - Trillium grandiflorum
- 4,820 - Phlox; Tiarella cordifolia;
Geranium maculatum
- 4,821 - Saxifraga
- 4,822-24 - Leucothoe fontanesiana
- 4,825 - Anemone quinquefolia
- 4,826-27 - Grotto Falls, also Janet
- 4,828 - Dentaria diphylla
- 4,829 - Geranium maculatum
- 4,830 - Trillium luteum
- 4,831 - Leucothoe fontanesiana
- 4,832-36 - Along trail to Ramsey Cascades
- 4,837 - Ramsey Cascades
- 4,838-39 - Along trail from Ramsey Cascades
- 4,840 - Mitchella repens
- 4,841 - Galax aphylla
- 4,842 - Mountain Wod Fern at base of
Magnolia fraseri
- 4,843 - Tuliptree, 6 ft. in diameter,
Elizabeth Brockschlager in front
- 4,844-45 - Polypodium virginianum
- 4,846 - Lycopodium
- 4,847-54 - Violets
- 4,855-67 - Sunsets

- North Carolina

- VIII. 4,868 - Gillenia trifoliata
- 4,869 - Azalea & birch
- 4,870 - Hypericum punctatum
- 4,871-81 - Views from Heintooga Highway
- 4,882-83 - Silene virginica
- 4,884 - Houstonia purpurea

4,885	-	<i>Asclepias tuberosa</i>
4,886	-	<i>Aruncus dioicus</i>
4,887	-	<i>Gillenia trifoliata</i>
4,888	-	<i>Krigia biflora</i>
4,889	-	<i>Geranium maculatum</i>
4,890-91	-	<i>Trautvetteria caroliniensis</i>
4,892	-	<i>Rhododendron calendulaceum</i>
4,893	-	<i>Vaccinium</i>
4,894	-	<i>Pteridium aquilinum</i>
4,895	-	<i>Lysimachia quadrifolia</i>
4,896-900	-	<i>Rhododendron maximum</i>
4,901-07	-	<i>Kalmia latifolia</i>
4,908-09	-	<i>Anemone virginiana</i>
4,910	-	<i>Rubus odoratus</i>
4,911	-	<i>Houstonia purpurea</i>
4,912-14	-	<i>Silene virginica</i>
4,915	-	<i>Sambucus pubens</i>
4,916-17	-	<i>Aletris farinosa</i>
4,918-21	-	<i>Rhododendron maximum</i>
4,922-23	-	H.B. Wilcox Orchards
4,924-25	-	Big Lynn and Lodge
4,926-27	-	View from Lodge
4,928-58	-	Views along Blue Ridge Parkway
4,959	-	Dead trees, Chestnut, killed by blight, June 30, 1956
4,960-61	-	<i>Hieracium</i>
4,962	-	Glassmine Falls
4,963	-	Blue Ridge from Big Lynn Lodge
4,964	-	Tar Heel Mica Co.
4,965	-	Hay Wagon
4,966-67	-	<i>Lilium superbum</i>
4,968-93	-	<i>Rhododendron catawbiense</i>
4,994-95	-	Carver's Gap, approaching Roan Mountain
4,996-99	-	<i>Lilium superbum</i>
5,000-13	-	Roan Mountain & Carver's Gap
5,014-40	-	<i>Rhododendron calendulaceum</i>
5,041-51	-	<i>Rhododendron catawbiense</i>
5,052-68	-	<i>Rhododendron</i> Gardens, Roan Mountain
5,069-70	-	<i>Senecio smallii</i>
5,071-73	-	<i>Houstonia purpurea</i>
5,074-78	-	<i>Geum radiatum</i>
5,079-83	-	<i>Saxifraga michauxii</i>
5,084-87	-	<i>Maianthemum canadense</i>
5,088-91	-	<i>Leiophyllum buxifolium</i>
5,092	-	<i>Potentilla canadensis</i>
5,093-94	-	<i>Potentilla tridentata</i>

5,095-96	-	<i>Oenothera fruticosa</i> , Azalea Slope
5,097	-	<i>Trautvetteria caroliniensis</i>
5,098-103	-	<i>Lilium grayi</i>
5,104	-	<i>Rhododendron catawbiense</i> and <i>Dryopteris</i>
5,105-08	-	<i>Sorbus americana</i>
5,109-10	-	<i>Rubus allegheniensis</i>
5,111	-	Along path to Roan Bluff
5,112	-	<i>Fragaria virginiana</i>
5,113-14	-	<i>Alnus alnobetula</i>
5,115-17	-	<i>Hieracium</i>
5,118-22	-	Roan High Bluff views
5,123-35	-	<i>Rhododendron catawbiense</i>
5,136-37	-	<i>Rhododendron</i> Gardens
5,138	-	<i>Abies fraseri</i> ; <i>Picera rubens</i>
5,139	-	Coming down Roan Mountain
5,140-45	-	<i>Rhododendron maximum</i>
5,146	-	<i>Liparis lilifolia</i>
5,147-48	-	Mountain Cabin
5,149	-	Old Mill
5,150-51	-	Chestoa View
5,152	-	<i>Asclepias variegata</i>
5,153-54	-	Chestoa View
5,155	-	<i>Amianthium muscaetoxicum</i>
5,156-58	-	<i>Liparis lilifolia</i> (Fern Orchid)
5,159-60	-	<i>Galax aphylla</i>
5,161-70	-	Views of Blue Ridge, Big Lynn area
5,171	-	Grave of Dr. Elisha Mitchell
5,172-73	-	<i>Pinus pungens</i> on Flat Rock
5,174	-	Outcrop of durable quartz
5,175-77	-	<i>Asclepias exaltata</i>
5,178-80	-	McKinney Mine
5,181-82	-	Blue Ridge near McKinney Mine
5,183	-	<i>Thermopsis mollis</i>
5,184	-	Crabtree Meadows
5,185	-	Azalea, Crabtree Meadows
5,186	-	<i>Aquilegia canadensis</i>
5,187-88	-	<i>Galax aphylla</i> , group
5,189-90	-	<i>Aruncus dioicus</i>
5,191-92	-	<i>Habenaria fimbriata</i>
5,193-95	-	Craggy Garden's
5,196-98	-	<i>Penstemon canescens</i>
5,199-200	-	<i>Oenothera fruticosa</i>
5,201	-	<i>Vaccinium</i>
5,202	-	<i>Hieracium</i>
5,203-06	-	<i>Habenaria psycodes</i> var. <i>grandiflora</i>

- 5,207 - Shelter on trail, Craggy Mountains
- 5,208-09 - *Kalmia latifolia*
- 5,210-12 - *Rhododendron catawbiense*
- 5,213 - Craggy Mountains, looking toward the Blue Ridge
- 5,214 - Looking toward Craggy Pinnacle
- 5,215 - Sign to Linville Falls
- 5,216 - Box Canyon, Linville River
- 5,217-18 - *Rhododendron arborescens*
- 5,219-21 - Linville Falls
- 5,222 - Linville River
- 5,223 - *Viburnum cassinoides*
- 5,224 - Box Canyon, Linville River
- 5,225 - *Mitchella repens*
- 5,226 - *Xerophyllum asphodeloides*
- 5,227 - *Kalmia latifolia* & *Xerophyllum asphodeloides*
- 5,228 - *Myosotis scorpioides*
- 5,229 - *Rhododendron maximum*
- 5,230 - *Castanea dentata* in bloom
- 5,231-32 - *Galax aphylla* habit at
- 5,233-36 - Table Rock
- 5,237 - Orange *Rhododendron calendulaceum*
- 5,238 - *Geum radiatum*
- 5,239 - *Monarda didyma*
- 5,240 - Mountain cabin
- 5,241 - Road cut
- 5,242-43 - *Spiraea tomentosa*
- 5,244-49 - Jonas Ridge views
- 5,250-51 - *Rhododendron maximum*
- 5,252 - Hay stacks
- 5,253 - Old Mountaineer cabin
- 5,254-56 - *Galax aphylla*
- 5,257 - Sheer cliff
- 5,258-61 - Blue Ridge Parkway views
- 5,262-63 - Museum of North Carolina Minerals
- 5,264-66 - *Rhododendron maximum*
- 5,267 - *Chimaphila maculata*
- 5,268 - Waterfalls, Curtis Creek Bridge
- 5,269 - *Robinia hispida*
- 5,270-72 - *Kalmia latifolia*
- 5,273-74 - Graybeal's roots & Herbs, Roan Mountain Tennessee

IX. - Covered Bridges

- 5,275-304 - Ohio Covered Bridges

	-	<u>Indiana Plants</u>
5,305	-	Phlox glaberrima
5,306	-	Liatris pycnostachya
5,307-08	-	Lysimachia nummularia
5,309	-	Camptosorus rhizophyllus
5,310-13	-	Tradescantia subaspera
5,314-16	-	Trillium recurvatum
5,317-25	-	Silphium laciniatum
5,326	-	Echinacea purpurea (Purple Cone Flower)
5,327-28	-	Tradescantia ohiensis
5,329	-	Rosa carolina
5,330-33	-	Allium cernuum

	-	<u>Kentucky</u>
	-	<u>Mammoth Cave</u>
5,334-41	-	Viola pedata
5,342	-	Cornus florida
5,343	-	Beech trees
5,344	-	Marker entering park
5,345-50	-	Views along roadway
5,351	-	Blind bats
5,352-53	-	Ferry over Green river
5,354-62	-	Along park highway
5,363	-	Natural entrance to cave
5,364-66	-	Cornus florida
5,367	-	Juniperus virginiana
5,368	-	Quercus
5,369-71	-	Pinus virginiana
5,372-76	-	Along Flint Ridge Road
5,377-82	-	Saxifraga virginiana
5,383	-	Vicia caroliniana
5,384	-	Antennaria
5,385	-	Frasera caroliniensis
5,386	-	Tiarella cordifolia
5,387-88	-	Arisaema atrorubens
5,389-91	-	Dentaria multifida
5,392-93	-	Oxalis violacea
5,394-401	-	Viola pedata
5,402	-	Trillium grandiflorum
5,403	-	Vicia caroliniana
5,404	-	Mitella diphylla
5,405	-	Phlox divaricata

	-	<u>Clack Mountain & Carter Cave</u>
5,406-08	-	<i>Gentiana flavida</i>
5,409	-	<i>Asclepias tuberosa</i>
5,410	-	<i>Echinacea purpurea</i>
5,411	-	<i>Azalea</i>
5,412	-	<i>Cypripedium calceolus</i>
5,413	-	<i>Viola pedata</i>
5,414-26	-	Unidentified plants
5,427	-	<i>Viola blanda</i>
5,428	-	<i>Iris cristata</i>
5,429	-	<i>Viola blanda</i>
5,430	-	<i>Orchid spectabilis</i>
5,431-32	-	<i>Azalea</i>
5,433-34	-	<i>Iris verna</i>
5,435	-	<i>Castilleja coccinea</i>
5,436	-	Unidentified plant
5,437	-	<i>Aquilegia canadensis</i>
	-	<u>Red River Gorge & Natural Bridge Area</u>
5,438-50	-	Views of Natural Bridge
5,451	-	<i>Geranium</i>
5,452	-	<i>Phlox</i>
5,453-54	-	Unidentified plants
5,455-56	-	<i>Viola rostrata</i>
5,457	-	<i>Rhododendron</i>
5,458	-	<i>Trillium erectum</i>
5,459	-	<i>Polypody</i>
5,460	-	<i>Vinca</i>
5,461-68	-	<i>Celadine poppy</i>
5,469	-	<i>Delphinium</i>
5,470-72	-	<i>Viola</i>
5,473-74	-	Along trail
5,475-76	-	<i>Viola</i>
5,477-96	-	Misc. plants & views, unidentified
5,497	-	<i>Phlox</i>
5,498-99	-	<i>Pteridium aquilinum</i>
5,500	-	<i>Viola pedata</i>
5,501-03	-	<i>Pogonia verticillata</i>
5,504-05	-	<i>Iris verna</i>
5,406	-	<i>Claytonia virginica</i>
5,407	-	<i>Phlox divaricata</i>
5,408	-	<i>Viola blanda</i>
5,409-10	-	<i>Xanthorrhiza simplicissima</i>
5,511-27	-	Misc. plants & views, unidentified

- 5,528 - Dentaria diphylla
- 5,529 - Orchis spectabilis
- 5,530 - Viola canadensis
- 5,531 - Clintonia umbellulata
- 5,532 - Geranium
- 5,533 - Viola hastata
- 5,534 - Clintonia umbellulata
- 5,535-37 - Trillium
- 5,538 - Houstonia caerulea
- 5,539-40 - Viola
- 5,541 - Senecio aureus
- 5,542 - Arbutus
- 5,543-93 - Misc. plants & views, unidentified
- 5,594 - Lygodium palmatum
- 5,595 - Mountain cottage
- 5,596 - Gentiana flavida
- 5,597 - Annette

- Misc.

- 5,598-603 - Views of the Falls of the Ohio,
taken on a Bird Club field trip
- 5,604-06 - Misc. views in the vicinity of Ghent

- Cumberland Falls

- 5,607 - Gaultheria procumbens
- 5,608-09 - Along trail to Falls
- 5,610-11 - Cumberland Falls
- 5,612 - Passiflora incarnata

- Tree Trunks

- 5,613-23 - Misc. close ups of tree trunks

- Michigan/Ontario

- 5,627-36 - White lady's slipper
- 5,637-56 - Misc. plants & views, unidentified
- 5,657-62 - Ferns
- 5,663-64 - Cornus stolonifera
- 5,665 - Plants, unidentified
- 5,666-71 - Lupinus perennis
- 5,672-76 - Misc. plants & views, unidentified
- 5,677-83 - Marsh habitat

- Ontario, Point Pelee National Park
- 5,684-85 - Along Woodland Nature Trail
- 5,686 - *Opuntia humifusa*
- 5,687 - *Smilacina stellata*
- 5,688 - Along Woodland Nature Trail
- 5,689 - *Uvularia grandiflora*
- 5,690 - Ukrainian Catholic Church
- 5,691-700 - Along Woodland Nature Trail
- 5,701-02 - Marsh area
- 5,703-04 - Highway through park
- 5,705-06 - Sand ridges formed by glacial sands
- 5,707-22 - Misc. plants & views, unidentified
- Wisconsin
- Archaeology
- 5,723-42 - Misc. views of Aztalan
- History
- 5,743-55 - Misc. views of historical buildings
- Geology
- 5,756-79 - Misc. views of limestone quarries, etc.
- Plant Life
- 5,780-82 - Washington Island views, misc.
- 5,783-87 - Cherries
- 5,788-90 - Sister Bay cherry company
- 5,792 - *Epilobium angustifolium*
- 5,793-95 - *Tanacetum vulgare*
- 5,796 - *Desmodium canadense*
- 5,797-98 - Coneflower
- 5,799 - Culver's-root
- 5,800-01 - Coneflower
- 5,802 - Eupatorium
- 5,803 - *Krigia biflora*
- 5,804-05 - *Rudbeckia hirta*
- 5,806-08 - *Lonicera dioica*
- 5,809 - *Asclepias syriaca*
- 5,810 - *Asclepias tuberosa*
- 5,811 - *Tanacetum vulgare*

5,812-13	-	<i>Solidago rigida</i>
5,814-20	-	<i>Petalostemum purpureum</i>
5,821	-	<i>Helenium autumnale</i>
5,822	-	Yellow-headed blackbird
5,823-24	-	<i>Pyrola elliptica</i>
5,825-30	-	<i>Parnassia glauca</i>
5,831	-	<i>Castilleja coccinea</i>
5,832	-	Arbor-vitae in fruit
5,833	-	Harebell
5,834	-	<i>Lobelia kalmii</i>
5,835	-	<i>Lathyrus japonicus</i>
5,836	-	<i>Anaphalis margaritacea</i>
5,837	-	<i>Cornus stolonifera</i>
5,838	-	<i>Spiranthes cernua</i>
5,839-45	-	<i>Cornus canadensis</i>
5,846-49	-	<i>Potentilla anserina</i>
5,850-52	-	<i>Arctostaphylos uva-ursi</i>
5,853-56	-	<i>Gnaphalium</i>
5,857	-	Juniper in fruit
5,858	-	Bog depression
5,859-64	-	<i>Habenaria</i>
5,865-66	-	<i>Habenaria habitat</i>
5,867-78	-	Sand Ridge Habitat
5,879	-	<i>Lilium philadelphicum</i>
5,880	-	<i>Pogonia ophioglossoides</i>
5,881-82	-	<i>Potentilla fruticosa</i>
5,883	-	<i>Potentilla fruticosa</i>
5,884-85	-	<i>Coreopsis lanceolata</i>
5,886-88	-	<i>Botrychium virginianum</i>
5,889	-	<i>Gaultheria procumbens</i>
5,890-95	-	<i>Sarracenia purpurea</i>
5,896	-	<i>Juncus balticus</i> var. <i>littoralis</i>
5,897	-	Arbor-vitae
5,898	-	<i>Gerardia tenuifolia</i>
5,899	-	Chamber's Island, Peninsula State Park
5,900-01	-	Horseshoe Island, Peninsula State Park
5,902	-	Chamber's Island, Peninsula State Park
5,903-04	-	<i>Sambucus pubens</i>
5,905	-	Chamber's Island, Peninsula State Park
5,906	-	Old log house, Peninsula State Park
5,907	-	Totem pole, Peninsula State Park
5,908	-	Alfalfa
5,909	-	Strawberry Islands
5,910	-	View from Green Bay
5,911-12	-	Cagle Bluff, Peninsula State Park
5,913	-	Vetch

5,914	-	Lathyrus maritimus
5,915	-	Aster
5,916	-	Chelone glabra
5,917	-	Lakeshore
5,918	-	Wheatfield, Wisconsin
5,919-22	-	Asclepias verticillata
5,923-24	-	Asclepias incarnata
5,925	-	Field daisies
5,926-28	-	Thimbleberry & fruit
5,929	-	Cirsium arvense
5,930	-	Yellow pond lilies; white water lilies; Beaver Dam Marsh
5,931	-	Lily; Beaver Dam Marsh
5,932	-	Monarda fistulosa
5,933-34	-	Hieracium aurantiacum
5,935-36	-	Asclepias syriaca
5,937	-	Beaver Dam Marsh area
5,938	-	Parnassia
5,939	-	August view of Ridges Sanctuary
5,940	-	Andropogon gerardii
5,941-43	-	Silphium terebinthinaceum
5,944-48	-	Grindelia squarrosa
5,949-50	-	Epilobium augustifolium
5,951	-	Heliopsis helianthoides
5,952-91	-	Misc. unidentified views of field plants in Ridges Sanctuary, including many of Heliopsis helianthoides
5,992	-	Herring gulls along Lake Michigan
5,993-95	-	Wisconsin geology: Neda
5,996-99	-	Manitowoc views
6,000-09	-	Views of Sturgeon Bay
6,010-19	-	Lizzard Mounds, Wisconsin
6,020-41	-	Jacksonport, Wisconsin, views
6,042-59	-	Solar eclipse, 1960s
6,060-86	-	Peaches

Brockschlager Index

<u>Slide Number</u>	-	<u>Description</u>
4,397-98	-	Abies fraseri
807	-	Acer rubrum
		Acer saccharum
4,363	-	Acer spicatum
2,845	-	Achillea millefolium

596	-	<i>Actaea pachypoda</i>
1,320	-	<i>Actinomeris alternifolia</i>
743	-	<i>Adiantum pedatum</i>
2,160	-	<i>Aesculus</i>
107	-	<i>Agave virginica</i>
4,648	-	<i>Aletris farinosa</i>
5,908	-	Alfalfa
1,739	-	<i>Alisma subcordatum</i>
970	-	<i>Allium canadense</i>
1,323	-	<i>Allium cernuum</i>
5,113-14	-	<i>Alnus alnobetula</i>
1,848	-	<i>Alnus rugosa</i>
1,785	-	Amelanchier
344-346	-	<i>Amelanchier arborea</i>
2,875-77	-	<i>Amelanchier canadensis</i>
5,155	-	<i>Amianthium muscaetoxicum</i>
3,245	-	<i>Ampelopsis cordata</i>
5,836	-	<i>Anaphalis margaritacea</i>
468	-	<i>Andropogon elliottii</i> habitat
1,343	-	<i>Andropogon gerardii</i>
1,336	-	<i>Andropogon scoparius</i>
599-600	-	<i>Anemone quinquefolia</i>
4,908-09	-	<i>Anemone virginiana</i>
325	-	<i>Anemone thalictroides</i>
3,144	-	<i>Angelica venenosa</i>
189	-	<i>Angelica villosa</i>
5,384	-	<i>Antennaria</i>
606	-	<i>Antennaria fallax</i> var. <i>ambigens</i>
1,631-32	-	<i>Apios americana</i>
607	-	Apple blossom
723	-	<i>Aplectrum hyemale</i> , leaves & seed pods
362	-	<i>Aquilegia canadensis</i>
229	-	<i>Arabis laevigata</i> in fruit
759	-	<i>Aralia racemosa</i>
1,841	-	Arbor-vitae
5,542	-	<i>Arbutus</i>
5,850-52	-	<i>Arctostaphylos uva-ursi</i>
29	-	<i>Arenaria stricta</i>
1,226	-	<i>Arenaria texana</i>
872	-	<i>Arisaema</i>

5,387-88	-	<i>Arisaema atropurpens</i>
587-588	-	<i>Arisaema atropurpurea</i>
2,964	-	<i>Arisaema atrorubens</i>
248	-	<i>Arisaema dracontium</i>
4,609-10	-	<i>Aristolochia durior</i> (Dutchman's pipe)
2,612	-	<i>Aristolochia serpentaria</i>
4,886	-	<i>Aruncus dioicus</i>
1,364	-	<i>Asarum canadense</i> group
4,757-58	-	<i>Asarum arifolium</i>
3,228	-	<i>Asclepias floridana</i>
219	-	<i>Asclepias incarnata</i>
1,566-68	-	<i>Asclepias longifolia</i>
486	-	<i>Asclepias purpurascens</i>
477	-	<i>Asclepias quadrifolia</i>
1,574-75	-	<i>Asclepias syriaca</i>
168	-	<i>Asclepias tuberosa</i>
1,571-73	-	<i>Asclepias variegata</i>
137	-	<i>Asclepias verticillata</i>
193	-	<i>Asclepias viridiflora</i>
140	-	<i>Asclepias viridis</i>
365-366	-	<i>Asimina triloba</i>
291	-	<i>Asplenium cryptolepis</i>
2,708	-	<i>Asplenium platyneuron</i>
1,467	-	<i>Asplenium trichomanes</i>
1,620	-	<i>Aster cordifolius</i>
133	-	<i>Aster laevis</i>
1,623	-	<i>Aster linariifolius</i>
1,622	-	<i>Aster novae-angliae</i>
304-305	-	<i>Aster oblongifolius</i>
2,604-05	-	<i>Aster phlogifolius</i>
2,804-06	-	<i>Aster pilosus</i> var. <i>demotas</i>
772-73	-	<i>Aster prenanthoides</i>
783	-	<i>Aster puniceus</i>
1,891	-	<i>Aster umbellatus</i>
136	-	<i>Aster simplex</i>
3,100	-	<i>Astragalus canadensis</i>
3,101	-	<i>Astragalus carolinianus</i>
1,469	-	<i>Athyrium filix-femina</i>
742	-	<i>Athyrium pycnocarpon</i>
741	-	<i>Athyrium thelypteroides</i>
4,161-73	-	<i>Azalea</i>

1,244-47	-	Baptisia leucantha
3,323	-	Bascomyces rosea
3,050	-	Berberidaceae
809	-	Beech
808	-	Beech Elm
178	-	Belamcanda chinensis
4,233	-	Betula lutea
3,043-44	-	Betula nigra
1,598-99	-	Bidens, en masse in field
1,558-59	-	Bignonia radicans
4,869	-	Birch
809	-	Black cherry
814	-	Black locust
5,804-05	-	Black-eyed Susan
25	-	Blephilia ciliata
1,168	-	Botrychium dissectum
694	-	Botrychium matricariaefolium
764	-	Botrychium obliquum
5,886-88	-	Botrychium virginianum
285	-	Bouteloua curtipendula
03	-	Buchnera americana (close-up)
1,870-72	-	Cacalia tuberosa
1,855-63	-	Calopogon pulchellus
1,034	-	Caltha palustris
4,613	-	Calycanthus floridus
2,000	-	Camassia scilloides
61	-	Campanula americana
1,951	-	Campsis radicans
548	-	Camptosorus rhizophyllus
544	-	Canadian yew
589	-	Cardamine douglasii
1,521-22	-	Carduus nutans
738	-	Carpinus caroliniana
1,649	-	Carya tomentosa
225	-	Cassia fasciculata
1,596-97	-	Cassia hebecarpa
1,594-95	-	Cassia marilandica
1,590-91	-	Cassia nictitans
5,230	-	Castanea dentata
12	-	Castilleja coccinea (close up)

732-33	-	Caulophyllum thalictroides
52	-	Ceanothus americanus
1,653	-	Celastrus scandens
5,461-68	-	Celandine poppy
42	-	Celtis occidentalis var. pumila
272	-	Celtis tenuifolia
2,298-99	-	Centaurea
2,040-42	-	Cephalanthus occidentalis
453	-	Cercis canadensis
2,873	-	Chamaelirium luteum
5,916	-	Chelone glabra
5,783-87	-	Cherries
1,829	-	Chimaphila umbellata
4,505-08	-	Chimaphila maculata
2,978	-	Christmas fern
1,552-54	-	Cichorium intybus
175	-	Cicuta maculata (close up)
936	-	Cimicifuga racemosa
4,680	-	Cinquefoil
5,929	-	Cirsium arvense
2,206	-	Cirsium discolor
1,015	-	Cladonia
560	-	Claytonia virginica
169	-	Clematis viorna habitat
224	-	Clematis virginiana
4,769	-	Clethra acuminata
792	-	Climacium americanum
4,240-44	-	Clintonia borealis
4,805-10	-	Clintonia umbellulata
1,262	-	Clitoria mariana
1,403-04	-	Collinsia verna
2,368	-	Comandra umbellata
5,797-98	-	Cone Flower
68	-	Conobea multifida
2,962-63	-	Conopholis americana
2,396	-	Convolvulus sepium
1,629	-	Corallorrhiza odontorrhiza
1,479-80	-	Corallorrhiza wisteriana
5,884-85	-	Coreopsis lanceolata
1,605	-	Coreopsis major
203	-	Coreopsis tripteris

5,839-45	-	<i>Cornus canadensis</i>
74	-	<i>Cornus florida</i> (in fruit)
2,430	-	<i>Cornus rugosa</i>
5,663-64	-	<i>Cornus stolonifera</i>
69	-	<i>Corylus americana</i>
5,799	-	Culver's-root
813	-	<i>Cunila origanoides</i>
1,227	-	<i>Cuphea petiolata</i>
4,798-804	-	<i>Cymophyllus fraseri</i>
21	-	<i>Cynoglossum virginianum</i>
1,032	-	<i>Cystopteris bulbifera</i>
1,369	-	<i>Cystopteris fragilis</i>
1,485-88	-	<i>Cypripedium acaule</i>
705-07	-	<i>Cypripedium calceolus</i> var. <i>pubescens</i>
1,489-90	-	<i>Cypripedium reginae</i>
1,547-50	-	<i>Daucus carota</i>
1,275-76	-	<i>Delphinium exaltatum</i>
357-58	-	<i>Delphinium tricornis</i> var. <i>albiflora</i>
767	-	<i>Dennstaedtia punctilobula</i>
594-95	-	<i>Dentaria diphylla</i>
1,372	-	<i>Dentaria heterophylla</i>
1,370-71	-	<i>Dentaria laciniata</i>
5,389-91	-	<i>Dentaria multifida</i>
216	-	<i>Desmodium</i>
5,796	-	<i>Desmodium canadense</i>
3,130-34	-	<i>Desmodium nudiflorum</i>
2,843	-	<i>Dianthus armeria</i>
1,367-68	-	<i>Dicentra canadensis</i>
559	-	<i>Dicentra cucullaria</i>
4,520	-	<i>Dicentra eximia</i>
4,266	-	<i>Diervilla sessilifolia</i>
3,057-59	-	<i>Dioscorea villosa</i>
1,625	-	<i>Diospyros virginiana</i>
2,085-89	-	<i>Dirca palustris</i>
3,237-38	-	<i>Disporum lanuginosum</i>
1,682	-	<i>Disporum maculatum</i>
09	-	<i>Dodecatheon meadia</i>
07	-	Dogwood in bloom
1,190	-	<i>Draba cuneifolia</i>
4,276	-	<i>Drosera rotundifolia</i>
1,463	-	<i>Dryopteris cristata</i>

1,686-87	-	<i>Dryopteris filix-mas</i> (male fern)
3,005	-	<i>Dryopteris goldiana</i>
1,688	-	<i>Dryopteris hexagonoptera</i> (Broad beech fern)
831	-	<i>Dryopteris marginalis</i>
3,082	-	<i>Dryopteris spinulosa</i>
233	-	<i>Dryopteris thelypteris</i>
93	-	<i>Echinacea purpurea</i>
5,903-04	-	Elderberry, red-berried
3,042	-	<i>Epigaea repens</i>
5,792	-	<i>Epilobium angustifolium</i>
603	-	<i>Equisetum</i>
1,350-51	-	<i>Erigenia bulbosa</i>
1,394-95	-	<i>Erigeron pulchellus</i>
1,900	-	<i>Eriophorum viridicarinatum</i>
53	-	<i>Eryngium yuccifolium</i>
1,191-92	-	<i>Erythronium albidum</i>
356	-	<i>Erythronium americanum</i>
1,957-62	-	<i>Erythronium rostratum</i>
1,645-46	-	<i>Euonymus atropurpureus</i>
2,546	-	<i>Eupatorioides</i>
5,802	-	<i>Eupatorium</i> (Joe Pye Weed)
130	-	<i>Eupatorium altissimum</i>
1,633-34	-	<i>Eupatorium fistulosum</i>
3,213	-	<i>Eupatorium maculatum</i>
1,606-07	-	<i>Eupatorium rugosum</i>
2,100	-	<i>Eupatorium sessilifolium</i>
1,741	-	<i>Eupatorium urticaefolium</i>
100	-	<i>Euphorbia corollata</i>
1,154	-	<i>Fagus grandifolia</i>
3,164	-	Ferns
814	-	<i>Fomes rimous</i> , perennial fungus
5,112	-	<i>Fragaria virginiana</i>
5,385	-	<i>Frasera carolinensis</i>
1,999	-	Fungus (Mushroom)
4,793	-	<i>Galax aphylla</i>
3,212	-	<i>Gaultheria procumbens</i>
2,131-32	-	<i>Gemmingia chinensis</i>
778	-	<i>Gentiana andrewsii</i>
1,636-37	-	<i>Gentiana crinata</i>
1,340-41	-	<i>Gentiana flavida</i>
251	-	<i>Gentiana quinquefolia</i>

3,239	-	<i>Gentiana villosa</i>
5,451	-	<i>Geranium</i>
711-13	-	<i>Geranium maculatum</i>
94	-	<i>Gerardia flava</i> var. <i>macrantha</i>
1,939	-	<i>Gerardia purpurea</i>
101	-	<i>Gerardia tenuifolia</i>
5,074-78	-	<i>Geum radiatum</i>
4,868	-	<i>Gillenia trifoliata</i>
5,853-56	-	<i>Gnaphalium</i>
34	-	<i>Gonolobus obliquus</i>
644	-	<i>Goodyera pubescens</i>
5,944-48	-	<i>Grindelia squarrosa</i>
3,175-95	-	<i>Habenaria ciliaris</i>
3,196-99	-	<i>Habenaria clavellata</i>
5,191-92	-	<i>Habenaria fimbriata</i>
1,492-93	-	<i>Habenaria lacera</i>
1,494	-	<i>Habenaria peramoena</i>
1,491	-	<i>Habenaria psycodes</i>
4,611-12	-	<i>Halesia carolina</i>
513-516	-	<i>Hamamelis virginiana</i>
5,833	-	Harebell
2,842	-	<i>Helenium autumnale</i>
2,045	-	<i>Helenium nudiflorum</i>
41	-	<i>Helianthus divaricatus</i>
1,589	-	<i>Helianthus hirsutus</i>
2,880-81	-	<i>Helianthus maximiliani</i>
760-61	-	<i>Helianthus microcephalus</i>
104	-	<i>Helianthus occidentalis</i>
128	-	<i>Heliopsis helianthoides</i>
1,696-97	-	<i>Helleborus niger</i>
1,551	-	<i>Hemerocallis fulva</i>
2,951	-	Hemlock
550-554	-	<i>Hepatica acutiloba</i>
85	-	<i>Hexalectris spicata</i>
3,252-65	-	<i>Hibiscus palustris</i>
2,878-79	-	<i>Hibiscus trionum</i>
809	-	Hickory
5,115-17	-	<i>Hieracium</i>
5,933-34	-	<i>Hieracium aurantiacum</i>
709	-	<i>Houstonia canadensis</i>

2,090	-	<i>Houstonia ciliolata</i>
1,991	-	<i>Houstonia caerulea</i>
2,496	-	<i>Houstonia lanceolata</i>
2,091-93	-	<i>Houstonia nigricans</i>
4,884	-	<i>Houstonia purpurea</i>
2,606-10	-	<i>Hybanthus concolor</i>
745-46	-	<i>Hydrangea arborescens</i>
1,535	-	<i>Hydrastis canadensis</i>
1,415	-	<i>Hydrophyllum appendiculatum</i>
750	-	<i>Hydrophyllum canadense</i>
498	-	<i>Hypericum mutilum</i>
1,533-34	-	<i>Hypericum punctatum</i>
43	-	<i>Hypericum spathulatum</i>
371	-	<i>Hyopsis hirsuta</i>
4,514	-	<i>Ilex opaca</i>
2,354	-	<i>Impatiens capensis</i>
2,351-53	-	<i>Impatiens pallida</i>
2,882	-	<i>Iodanthus pinnatifidus</i>
217	-	<i>Ipomoea pandurata</i>
699-700	-	<i>Iris cristata</i>
5,433-34	-	<i>Iris verna</i>
593	-	<i>Isopyrum biternatum</i>
3,272-85	-	<i>Isotria verticillata</i>
1,381-82	-	<i>Jeffersonia diphylla</i>
182	-	<i>Juglans nigra</i>
1,565	-	<i>Juncus</i>
5,896	-	<i>Juncus balticus</i> var. <i>littoralis</i>
5,857	-	<i>Juniper</i>
796	-	<i>Juniperus virginiana</i>
754	-	<i>Justicia americana</i>
4,294-300	-	<i>Kalmia latifolia</i>
1,205	-	<i>Krigia biflora</i>
2,994	-	<i>Krigia virginica</i>
2,098-99	-	<i>Kuhnia eupatorioides</i>
1,600	-	<i>Lactuca hirsuta</i>
1,750-51	-	<i>Lamium purpureum</i>
5,835	-	<i>Lathyrus japonicus</i>
5,914	-	<i>Lathyrus maritimus</i>
1,193-95	-	<i>Leavenworthia uniflora</i>
4,329	-	<i>Leiophyllum buxifolium</i>

4,822-24	-	<i>Leucothoe fontanesiana</i>
4,831	-	<i>Leucotheplus</i>
125	-	<i>Liatris</i>
508-509	-	<i>Liatris asper</i>
273-278	-	<i>Liatris cylindracea</i>
5,306	-	<i>Liatris pycnostachys</i>
1,287-89	-	<i>Liatris spicata</i>
72	-	<i>Liatris squarrosa</i>
2,970	-	<i>Lichen</i>
172	-	<i>Lilium canadense</i>
5,098-103	-	<i>Lilium grayi</i>
740	-	<i>Lilium michiganense</i>
163	-	<i>Lilium philadelphicum</i> var. <i>andinum</i>
1,540-41	-	<i>Lilium superbum</i>
1,031	-	<i>Lindera benzoin</i> L. (in fruit)
2,413	-	<i>Linum virginianum</i>
23	-	<i>Liparis lilifolia</i>
2,817-19	-	<i>Lippia lanceolata</i>
2,965-66	-	<i>Liquidambar styraciflua</i>
414-416	-	<i>Liriodendron tulipifera</i>
2,163	-	<i>Lithospermum</i>
10	-	<i>Lithospermum canescens</i>
1,580-81	-	<i>Lobelia cardinalis</i>
2,410	-	<i>Lobelia kalmii</i>
170	-	<i>Lobelia spicata</i> var. <i>leptostachys</i>
473-476	-	<i>Lonicera dioica</i> var. <i>glaucescens</i>
3,308-11	-	<i>Lonicera sempervirens</i>
2,289	-	<i>Lotus corniculatus</i> (Alien)
5,666-71	-	<i>Lupinus perennis</i>
4,678	-	<i>Lycopodium</i>
502-503	-	<i>Lycopodium complanatum</i> var. <i>flabelliforme</i>
5,594	-	<i>Lygodium palmatum</i>
1,518	-	<i>Lysimachia nummularia</i>
1,519	-	<i>Lysimachia quadrifolia</i>
5,084-87	-	<i>Maianthemum canadense</i>
812	-	<i>Magnolia acuminata</i>
4,617	-	<i>Magnolia fraseri</i>
2,749	-	<i>Magnolia macrophylla</i>
1,155	-	<i>Magnolia queminata</i>
2,990	-	<i>Magnolia tripetala</i>

1,847	-	<i>Maianthemum canadense</i>
1,997-98	-	<i>Malaxis unifolia</i>
4,730-31	-	<i>Medeola virginiana</i>
797	-	<i>Menispermum canadense</i> , seeds
4,736	-	<i>Menziesia pilosa</i>
621-624	-	<i>Mertensia virginica</i>
2,535-38	-	<i>Micheliella verticillata</i>
17	-	<i>Mimulus alatus</i>
1,530-31	-	<i>Mimulus ringens</i>
4,736	-	Minnie bush
586	-	<i>Mitella diphylla</i>
739	-	<i>Mitchella repens</i>
731	-	<i>Monarda clinopodia</i>
1,555	-	<i>Monarda didyma</i>
49	-	<i>Monarda fistulosa</i>
2,555	-	Moss
2,942-43	-	Mountain-laurel
4,842	-	Mountain Wood Fern
5,228	-	<i>Myosotis scorpioides</i>
1,836	-	<i>Nasturtium officinale</i>
1,543-45	-	<i>Nelumbo lutea</i>
364	-	<i>Nothoscordum bivalve</i>
3,089-92	-	<i>Nymphaea odorata</i>
1,648	-	<i>Nyssa sylvatica</i>
411	-	<i>Obolaria virginica</i>
206	-	<i>Oenothera biennis</i>
2,370	-	<i>Oenothera fruticosa</i>
1,582	-	<i>Onoclea sensibilis</i>
487-490	-	<i>Ophioglossum engelmannii</i>
693	-	<i>Ophioglossum vulgatum</i>
5,686	-	<i>Opuntia humifusa</i>
638-640	-	<i>Orchis spectabilis</i>
4,521-22	-	<i>Orobanche uniflora</i>
1,659	-	Osage orange
341	-	<i>Osmorhiza longistylis</i>
1,743	-	<i>Osmunda cinnamomea</i>
2,989	-	<i>Osmunda claytonia</i>
2,856	-	<i>Osmunda regalis</i>
608	-	<i>Ostrya virginiana</i> , staminate catkins

249	-	<i>Oxalis grandis</i>
4,566-69	-	<i>Oxalis montana</i>
27	-	<i>Oxalis violacea</i>
1,918-19	-	<i>Oxycoccus macrocarpus</i>
4,602	-	<i>Oxydendrum</i> in bloom
3,105-07	-	<i>Oxydendrum arboreum</i>
103	-	<i>Oxypolis rigidior</i>
788	-	<i>Pachystima canbyi</i>
774	-	<i>Panax quinquefolius</i> , in fruit
2,521	-	<i>Parmelia</i>
1,896-97	-	<i>Parnassia glauca</i>
1,658	-	<i>Parthenocissus quinquefolia</i>
3,212	-	Partridge-berry
1,239-40	-	<i>Passiflora incarnata</i>
6,060-86	-	Peaches
2,958	-	<i>Pedicularis canadensis</i>
2,776-78	-	<i>Pedicularis lanceolata</i>
33	-	<i>Pellaea atropurpurea</i>
5,196-98	-	<i>Penstemon canescens</i>
2,846	-	<i>Penstemon hirsutus</i>
5,814-20	-	<i>Petalostemum purpureum</i>
4,614-16	-	<i>Phacelia fimbriata</i>
3,120-21	-	<i>Phegopteris hexagonoptera</i>
162	-	<i>Phlox carolina</i> var. <i>triflora</i>
645-646	-	<i>Phlox divaricata</i>
5,305	-	<i>Phlox glaberrima</i>
45	-	<i>Phlox maculata</i>
2,715-19	-	<i>Phlox paniculata</i>
1,217-21	-	<i>Phlox pilosa</i>
2,257	-	<i>Phlox senecio</i>
1,781-83	-	<i>Phlox stolonifera</i>
648-658	-	<i>Phlox subulata</i> var. <i>brittonii</i>
496	-	<i>Physocarpus</i>
417-418	-	<i>Physocarpus opulifolius</i>
106	-	<i>Physocarpus virginiana</i> habitat
1,635	-	<i>Phytolacca americana</i> fruit
4,557-58	-	<i>Picea rubens</i>
5,172-73	-	<i>Pinus pungens</i>
02	-	<i>Pinus virginiana</i>
1,409-10	-	<i>Podophyllum peltatum</i>
4,645-47	-	<i>Pogonia divarticata</i>

1,910-14	-	<i>Pogonia ophioglossoides</i>
5,501-03	-	<i>Pogonia verticillata</i>
404	-	<i>Polemonium reptans</i>
4,640-42	-	<i>Polgala paucifolia</i>
2,043-44	-	<i>Polygala sanguinea</i>
479	-	<i>Polygala senega</i>
20	-	<i>Polygonatum biflorum</i>
3,033	-	<i>Polygonatum canaliculatum</i>
2,995	-	<i>Polygonatum commutatum</i>
448-450	-	<i>Polymnia uvedalia</i>
1,693-95	-	<i>Polypodium polypodioides</i>
4,844-45	-	<i>Polypodium virginianum</i>
801	-	<i>Polyporus sulfuris</i>
799	-	<i>Polyporus versicolor</i>
506-507	-	<i>Polystichum acrostichoides</i>
844	-	<i>Populus grandidentata</i>
5,846-49	-	<i>Potentilla anserina</i>
1,505	-	<i>Potentilla canadensis</i>
1,876	-	<i>Potentilla fruticosa</i>
5,093-94	-	<i>Potentilla tridentata</i>
393-394	-	<i>Prenanthes alba</i>
292	-	<i>Prenanthes serpentaria</i>
1,431-33	-	<i>Prunus americana</i>
1,740	-	<i>Prunus serotina</i>
609	-	<i>Prunus virginiana</i>
2,389-93	-	<i>Psoralea psoralioides</i>
2,629-30	-	<i>Ptelea trifoliata</i>
3,168	-	<i>Pteridium aquilinum</i>
2,374	-	<i>Pycnanthemum</i>
2,026	-	<i>Pycnanthemum flexuosum</i>
220	-	<i>Pycnanthemum incanum</i>
2,318	-	<i>Pycnanthemum virginianum</i>
747-748	-	<i>Pyrola elliptica</i>
4,502	-	<i>Pyrularia pubera</i>
3,016-19	-	<i>Pyrus coronaria</i>
208	-	Queen Ann's lace
968	-	<i>Quercus alba</i>
816-817	-	<i>Quercus coccinea</i>
2,275-77	-	<i>Quercus marilandica</i>
717	-	<i>Quercus montana</i>

1,035	-	<i>Quercus muhlenbergii</i>
2,380-82	-	<i>Quercus stellata</i>
4,425	-	<i>Ranunculus hispidus</i>
05	-	<i>Ranunculus septentrionalis</i>
50	-	<i>Ratibida pinnata</i> (close up)
614	-	Redbud
809	-	Red oak
396	-	<i>Rhamnus caroliniana</i> (in fruit)
2,022-25	-	<i>Rhexia virginica</i>
5,217-18	-	<i>Rhododendron arborescens</i>
4,174-79	-	<i>Rhododendron calendulaceum</i>
4,318	-	<i>Rhododendron caroliniana</i>
4,968-93	-	<i>Rhododendron catawbiense</i>
4,481-84	-	<i>Rhododendron maximum</i>
4,319-20	-	<i>Rhododendron minus</i>
3,327-28	-	<i>Rhododendron roseum</i>
491-495	-	<i>Rhus aromatica</i> fruit
2,399	-	<i>Rhus glabra</i>
5,269	-	<i>Robinia hispida</i>
1,441-42	-	<i>Robinia pseudo-acacia</i>
2,489	-	<i>Rosa carolina</i>
1,925-26	-	<i>Rosa palustris</i>
1,242-43	-	<i>Rosa setigera</i>
5,109-10	-	<i>Rubus allegheniensis</i>
4,515	-	<i>Rubus odoratus</i>
2,358	-	<i>Rubus procumbens</i>
11	-	<i>Rubus villosus</i>
55	-	<i>Rudbeckia</i>
223	-	<i>Rudbeckia fulgida</i>
5,804-05	-	<i>Rudbeckia hirta</i>
191	-	<i>Rudbeckia laciniata</i>
293	-	<i>Rudbeckia speciosa</i>
97	-	<i>Ruellia</i>
1,232	-	<i>Ruellia humilis</i>
57	-	<i>Sabatia angularis</i>
2,836-37	-	<i>Sagittaria latifolia</i>
22	-	<i>Salvia lyrata</i>
1,556-57	-	<i>Sambucus canadensis</i>
4,915	-	<i>Sambucus pubens</i>
318	-	<i>Sanguinaria canadensis</i>
1,893	-	<i>Sanguisorba canadensis</i>

5,890-95	-	<i>Sarracenia purpurea</i>
2,124-25	-	<i>Sassafras</i>
1,434-37	-	<i>Sassafras albidum</i>
751-753	-	<i>Saururus cernuus</i>
4,732	-	<i>Saxifraga</i>
4,327	-	<i>Saxifraga michauxii</i>
1,798	-	<i>Saxifraga virginensis</i>
2,207	-	<i>Scirpus cyperinus</i>
3,000-02	-	<i>Scutellaria epilobiifolia</i>
212	-	<i>Scutellaria incana</i>
1,523-24	-	<i>Scutellaria pilosa</i>
1,506	-	<i>Sedum ternatum</i> in bud
08	-	<i>Senecio aureus</i>
1,214-15	-	<i>Senecio plattensis</i>
4,423	-	<i>Senecio smallii</i>
198	-	<i>Sericocarpus asteroides</i>
4,497-98	-	<i>Sericocarpus linifolius</i>
383	-	<i>Seymeria macrophylla</i>
809	-	Shagbark (hickory)
781	-	<i>Silene caroliniana</i> var. <i>wherryi</i>
683-688	-	<i>Silene pennsylvanica</i>
2,704	-	<i>Silene stellata</i>
744	-	<i>Silene virginica</i>
5,317-25	-	<i>Silphium laciniatum</i>
196	-	<i>Silphium perfoliatum</i>
122	-	<i>Silphium terebinthinaceum</i>
214	-	<i>Silphium trifoliatum</i>
19	-	<i>Sisyrinchium albidum</i>
376-378	-	<i>Sisyrinchium angustifolium</i>
4,274-75	-	<i>Smilacina racemosa</i>
1,837	-	<i>Smilacina stellata</i>
228	-	<i>Smilax herbacea</i> in fruit (close up)
1,611	-	<i>Solidago altissima</i>
777	-	<i>Solidago caesia</i>
120	-	<i>Solidago erecta</i>
1,612	-	<i>Solidago graminifolia</i>
1,335	-	<i>Solidago juncea</i>
1,309	-	<i>Solidago nemoralis</i>
1,892	-	<i>Solidago ohioensis</i>
1,318-19	-	<i>Solidago rigida</i>
1,615	-	<i>Solidago ulmifolia</i>

2,760-64	-	<i>Sorbaria sorbifolia</i>
5,105-08	-	<i>Sorbus americana</i>
116	-	<i>Sorghastrum nutans</i>
5,242-43	-	<i>Spiraea tomentosa</i>
83	-	<i>Spiranthes cernua</i>
77	-	<i>Spiranthes gracilis</i>
510-511	-	<i>Spiranthes grayi</i>
480-481	-	<i>Spiranthes lucida</i>
84	-	<i>Spiranthes vernalis</i>
4,409	-	<i>Stachys clingmanii</i>
2,133-35	-	<i>Stachys tenuifolia</i>
3,102-03	-	<i>Staphylea trifoliata</i>
3,020-21	-	<i>Stellaria pubera</i>
2,292	-	<i>Stenanthium gramineum</i>
3,214-18	-	<i>Stenanthium robustum</i>
4,510-13	-	<i>Stewartia ovata</i>
407	-	<i>Stylophorum diphyllum</i>
755-58	-	<i>Sullivantia sullivantii</i>
56	-	<i>Swertia caroliniensis</i> (in fruit)
1,347-49	-	<i>Symplocarpus foetidus</i>
5,793-95	-	<i>Tanacetum vulgare</i>
543	-	<i>Taxus canadensis</i>
4,504	-	<i>Tephrosia spicata</i>
3,070-73	-	<i>Tephrosia virginiana</i>
3,125-27	-	<i>Thalictrum polygamum</i>
1,250	-	<i>Thalictrum revolutum</i>
697	-	<i>Thaspium barbinode</i>
698	-	<i>Thaspium trifoliatum</i>
1,475	-	<i>Thelypteris noveboracensis</i>
5,183	-	<i>Thermopsis mollis</i>
5,926-28	-	Thimbleberry
557	-	Thistle
1,667	-	<i>Tiarella cordifolia</i>
963-966	-	<i>Tipularia discolor</i>
1,865-67	-	<i>Tofieldia glutinosa</i>
5,327-28	-	<i>Tradescantia ohiiensis</i>
5,310-13	-	<i>Tradescantia subaspera</i>
718-22	-	<i>Tradescantia virginiana</i>
4,426	-	<i>Trautvetteria caroliniensis</i>
1,843-44	-	<i>Trientalis borealis</i>

1,771-75	-	Trillium erectum
641-643	-	Trillium flexipes
878	-	Trillium gleasonii
569-576	-	Trillium grandiflorum
4,516-19	-	Trillium luteum
545-547	-	Trillium nivale
1,379-80	-	Trillium recurvatum
1,375-76	-	Trillium sessile
766	-	Triphora trianthophora
4,287	-	Tsuga canadensis
316	-	Tuliptree
1,542	-	Typha latifolia
907	-	Ulmus americana
3,014	-	Urnula craterium
1,869	-	Utricularia cornuta
18	-	Uvalaria grandiflora
1,510	-	Uvalaria perfoliata
681-682	-	Vaccinium corymbosum
4,236	-	Vaccinium erythrocarpum
4,413	-	Vaccinium oxycoccos
2,383	-	Vaccinium stamineum
2,700	-	Valeriana pauciflora
1,937	-	Valerianella
4,737	-	Veratrum viride
484-485	-	Verbena simplex
1,248-49	-	Verbesina helianthoides
1,560	-	Veronia altissima
1,307-08	-	Vernonia fasciculata
2,193	-	Veronica officinalis
5,913	-	Vetch
2,937-39	-	Viburnum acerifolium
4,233	-	Viburnum alnifolium
4,271-72	-	Viburnum cassinoides
635-637	-	Viburnum prunifolium
5,460	-	Vinca
5,403	-	Vicia caroliniana
1,452	-	Viola blanda
1,939	-	Viola braunii
670-671	-	Viola canadensis
661-662	-	Viola conspersa
1,451	-	Viola cucullata

5,533	-	<i>Viola hastata</i>
663-664	-	<i>Viola hirsutula</i>
4,238-39	-	<i>Viola incognita</i>
2,673	-	<i>Viola palmata</i>
1,445	-	<i>Viola papilionacea</i>
1,446-48	-	<i>Viola pedata</i> var. <i>biflora</i>
1,206-07	-	<i>Viola pedatifida</i>
666-667	-	<i>Viola pensylvanica</i>
13	-	<i>Viola pubescens</i>
665	-	<i>Viola rostrata</i>
361	-	<i>Viola sagittata</i>
2,083	-	<i>Viola sororia</i>
1,459	-	<i>Viola striata</i>
360	-	<i>Viola triloba</i>
659-660	-	<i>Viola walteri</i>
590-592	-	<i>Waldsteinia fragarioides</i>
5,930	-	Water-lilies
5,627-36	-	White lady's slipper
4,787-89	-	<i>Woodwardia areolata</i>
5,509-10	-	<i>Xanthorhiza simplicissima</i>
270	-	<i>Xanthoxylum americanum</i> in fruit
5,226	-	<i>Xerophyllum asphodeloides</i>
5,930	-	Yellow pond lilies